



# EC30 Enterprise Companion

## Configuration & Accessories Guide

# Charging Options

## 2-Slot ShareCradle & USB-C Cable



### CRD-EC30-2SCHG1-01: EC30 2-Slot Charge ShareCradle

Charges up to 2 devices in the same cradle. Power Supply PWR-BGA12V50W0WW, DC cable CBL-DC-388A1-01 and country-specific AC line cord sold separately.



**CBL-TC5X-USBC2A-01:** USB-C to USB-A cable (1M in length). Provides device charging and USB communication with a host computer.



**PWR-WUA5V12W0US:** Power Supply 100-240 VAC, 5VDC, 2.5A with US plug (see adjacent list for other country plugs). Provides power to the EC30. Requires USB-C to USB-A Charging Cable.

## 2-slot ShareCradle Requires:



### PWR-BGA12V50W0WW

Power supply for 2-slot cradle: 100-240 VAC, 12VDC, 4.16A. **Requires:** DC cable and country specific AC line cord.



### CBL-DC-388A1-01

DC cable for power supply PWR-BGA12V50W0WW. (12 VDC, 4.16A) 1.8m length.



### 23844-00-00R

US AC line cord, 7.5 feet long, grounded, three wire for power supplies.\*

**\*Note:** AC line cords for other countries can be found on the last page of this guide.

| Country       | Power Supply    |
|---------------|-----------------|
| United States | PWR-WUA5V12W0US |
| Great Britain | PWR-WUA5V12W0GB |
| Europe        | PWR-WUA5V12W0EU |
| Australia     | PWR-WUA5V12W0AU |
| China         | PWR-WUA5V12W0CN |
| Brazil        | PWR-WUA5V12W0BR |
| Korea         | PWR-WUA5V12W0KR |
| India         | PWR-WUA5V12W0IN |

# Charging Options

## Multi-Slot Cradles



### **CRD-EC30-10SC1-01:** EC30 10-Slot Charge ShareCradle

Charges up to 10 devices in the same cradle. Power supply PWR-BGA12V108W0WW, DC cable CBL-DC-381A1-01 and country-specific AC line cord sold separately.

### **CRD-EC30-10SLC1-01:** EC30 10-Slot Locking Smart Cradle

Charges and locks up to 10 devices in the same cradle. Power supply PWR-BGA12V108W0WW, DC cable CBL-DC-381A1-01 and country-specific AC line cord sold separately.

## 10-Slot Cradles Require:



### **PWR-BGA12V108W0WW**

Power supply for multi-slot cradle: 100-240 VAC, 12VDC, 9A.

**Requires:** DC cable and country specific AC line cord.



### **CBL-DC-381A1-01**

DC cable provides power from the power supply to multi-slot charge cradles.



### **23844-00-00R**

US AC line cord, 7.5 feet long, grounded, three wire for power supplies.\*

**\*Note:** AC line cords for other countries can be found on the last page of this guide.

## Locking Cradle Release Key



### **KT-MC18-CKEY-20**

Release Key for the EC30 Locking Cradle. Used to manually unlock the terminal from the EC30 Locking Smart Cradle (20 Pack).

# Mounting Options

## Multi-Slot Cradles



### MAXIMUM DENSITY RACK MOUNTED SOLUTIONS:

The Rack/Wall Bracket and mounting plate options have been optimized to work on a standard 19-inch rack. The bracket option can be configured in different angles for maximum flexibility.




## Rack/Wall Bracket for Multi-Slot Cradles



### BRKT-SCRD-SMRK-01

Rack/Wall mounting bracket, install any Multi-Slot Cradle on a wall or a standard 19" IT rack (devices oriented vertically). Provides a holder for power supply and cords.

## Rack Mount Plate for Multi-Slot Cradles



### BRKT-EC30-10SC1-01

Rack Mount Plate, install EC30 Multi-Slot Cradles on a 19-inch IT rack (enables mounting of EC30 devices oriented horizontally with displays facing up, scan engines facing out).

# Wearable Accessories – Neck Lanyards

## Retractable Neck Lanyard

### **SG-EC30-RLYD1-01**

EC30 Retractable Lanyard with Magnetic Recoil, Adjustable Neck strap and adapter (1 pack).

### **SG-EC30-RLYD1-10**

EC30 Retractable Lanyard with Magnetic Recoil, Adjustable Neck Strap and adapter (10 Pack).



## Basic Neck Lanyard

### **SG-EC30-BLYD1-01**

EC30 Basic Lanyard with Adjustable Neck strap and adapter (1 pack).

### **SG-EC30-BLYD1-10**

EC30 Basic Lanyard with Adjustable Neck strap and adapter (10 pack).



# Wearable Accessories

## Retractable Belt Clip



**SG-EC30-RCB1-01**  
EC30 retractor with magnetic recoil, carabiner and adapter.

## Vest Clip



**SG-EC30-CLIP1-01**  
EC30 Vest/garment clip (with coiled tether & Adapter).

## Rigid Holster

**SG-EC30-RHLSTR1-01**  
EC30 Rigid holster with snap-in design. Rotating Clip allows vertical and horizontal holstering with ability to insert device in either direction.



## Arm Mount

**SG-EC30-ARM1-01**  
EC30 Arm Mount. Standard adjustable Velcro strap – 310mm length (forearm/wrist).



**SG-EC30-ARML1-01**  
EC30 Arm Mount. Long adjustable Velcro strap – 465mm length (upper arm).



# Soft Goods & Headsets

## Soft Holster



### **SG-EC30-HLSTR1-01**

EC30 soft holster. Leather construction with protective flap and belt clip.

## Screen Protector



### **SG-EC30-SCRNP1-05**

EC30 Tempered Glass Screen protector (with oleophobic coating) 5-pack.

## Wired Headset



### **HDST-35MM-PTT1-01**

3.5mm wired headset for PTT + VOIP with rotating ear piece for right/left ear wearing. Includes built-in control wrap, inline mic, PTT button and volume control.

## Bluetooth Headset



### **HS3100-OTH**

HS3100 Rugged Bluetooth Headset Over-The-Head Headband includes HS3100 Boom Module and HSX100 OTH Headband Module.

# Country Specific AC Line Cord Options

| Country   | Three Wire AC Line Cord  |
|-----------|--|
| Abu Dhabi | 50-16000-220R: 1.8M long, CEE 7/7 plug.  |
| Australia | 50-16000-217R: 1.9M long, AS 3112 plug.  |
| Bolivia   | 50-16000-220R: 1.8M long, CEE 7/7 plug.  |
| Brazil    | 50-16000-727R: 18AWG, 250V, 16A, BR (3w).  |
| China     | 50-16000-217R: 1.9M long, AS 3112 plug.<br>50-16000-257R: 1.8M long, IEC 60320 C13 plug. |
| Dubai     | 50-16000-220R: 1.8M long, CEE 7/7 plug.  |
| Egypt     | 50-16000-220R: 1.8M long, CEE 7/7 plug.  |
| Europe    | 50-16000-220R: 1.8M long, CEE 7/7 plug.  |
| Hong Kong | 50-16000-219R: 1.8M long, BS1363 plug.   |
| India     | 50-16000-669R: 1.9M long, BS 546 plug.   |
| Iran      | 50-16000-220R: 1.8M long, CEE 7/7 plug.  |
| Iraq      | 50-16000-219R: 1.8M long, BS1363 plug.   |

| Country    | Three Wire AC Line Cord   |
|------------|---|
| Israel     | 50-16000-672R: 1.9M long, S132 plug.  |
| Italy      | 50-16000-671R: 1.8M long, CIE 23-16 plug.   |
| Japan      | 50-16000-218R: 1.8M long, NEMA 1-15P plug.  |
| Korea      | 50-16000-220R: 1.8M long, CEE 7/7 plug.<br>50-16000-256R: 1.8M long, CEE7/7 plug. |
| Malaysia   | 50-16000-219R: 1.8M long, BS1363 plug.  |
| New Guinea | 50-16000-217R: 1.9M long, AS 3112 plug.   |
| Russia     | 50-16000-220R: 1.8M long, CEE 7/7 plug.   |
| Singapore  | 50-16000-219R: 1.8M long, BS1363 plug.  |
| UK         | 50-16000-219R: 1.8M long, BS1363 plug.  |
| US         | 23844-00-00R: 7.5 feet long.<br>50-16000-221R: 1.8M long, USA NEMA 5-15P.         |
| Vietnam    | 50-16000-220R: 1.8M long, CEE 7/7 plug.   |





ZEBRA and the stylized Zebra head are trademarks of Zebra Technologies Corp., registered in many jurisdictions worldwide. All other trademarks are the property of their respective owners. ©2019 Zebra Technologies Corp. and/or its affiliates. All rights reserved.