

### Applications

- Pharmacy
- Retail
- Hospitality



### Label and receipt printing.

Supporting both label and receipt printing up to 200mm and 300mm per second in respective modes, the CT-E651L is the perfect solution for applications where printers need to be multifunctional.

### Low space requirement

In retail, the compact footprint fits perfectly beneath all-in-one retail systems or alongside a cash drawer - after all it is the same height.

### Completely connected

Add to that, Bluetooth™ and WiFi™ interface options for great connectivity.



The compact, cubic design makes the CT-E651L one of the most stylish and sleek printers on the market.

# CITIZEN

The CT-E651L is designed to meet all interfacing needs. USB 2.0 is standard, with LAN, Serial, WiFi and Bluetooth optional depending on user requirements.

## Specifications

Model	CT-E651L
Printing Technology	Direct Thermal
Resolution	203 dpi
Print Speed (maximum)	300 mm/sec.
Print Width (maximum)	72 mm
Media Width (min to max)	59 - 80 mm (+/- 0.5 mm)
Roll Size (max), Core Size	83 mm outside diameter
Media Thickness (min to max)	53 to 85 µm
Media Sensor	Gap, reflective black mark and paper end
Main Interface	USB 2.0 full speed
Optional interfaces	Bluetooth with Apple™ MFi compatibility, Premium Wireless LAN, Serial (RS-232C compliant), Compact Wireless LAN, Ethernet, Ethernet + USB host
Power supply	100 – 240V, 50-60 Hz, external power supply (supplied) or 24V DC
Reliability	200 Million pulses or 150 Km, 2 million cuts
Control panel	2 buttons, 5 LEDs
Emulations (Languages)	ESC/POS™
Drivers and software	Free-of-charge from website, including support for various platforms
Flash (Non-Volatile Memory)	8MB
Size (W x D x H) and Weight	125 x 170 x 108 mm. 1.26 Kg
Cutter	Guillotine type, full and partial

## CT-E651L

**POS, Receipt printer (thermal 3 inch / 80mm)**

### Features & Benefits

- Paper exit: Front exit, top loading
- Paper load: Quick and easy media changing - drop-in paper loading
- Printing Speed: Ultra fast print out of receipts - up to 300mm per seconds , Fast print out - up to 200 mm per second for labels
- Mobile-POS ready
- Easy notification - built-in buzzer
- ENERGY STAR® compliant
- Small footprint
- Tool-free maintenance



Supports both label and receipt printing.

**CITIZEN SYSTEMS EUROPE GMBH**

# CITIZEN

<b>Model</b>	<b>CT-E651L</b>
<b>EMC and safety standards</b>	CE, UL, FCC class A, C-UL, VCCI

All product names are trademarks of the respective manufacturers. Zebra®, ZPL and EPL are trademarks of ZIH Corp. Datamax® is a trademark of Datamax-O'Neil Corporation. Designs, specifications and availability are subject to change without notice. Errors and omissions excluded. © Citizen Systems Europe GmbH, V.1.0

## CT-E651L

**POS, Receipt printer (thermal 3 inch / 80mm)**