



Pica II

Spare parts list
Parts list




71.29.700

PRINT MECHANISM PICA II 10X, THERMAL TRANSFER PRE-ASSEMBLED W/O PRINTHEAD




71.29.700

PRINT MECHANISM PICA II 10X, THERMAL TRANSFER PRE-ASSEMBLED W/O PRINTHEAD




71.29.700

PRINT MECHANISM PICA II 10X, THERMAL TRANSFER PRE-ASSEMBLED W/O PRINTHEAD



71.29.700

PRINT MECHANISM PICA II 10X, THERMAL TRANSFER PRE-ASSEMBLED W/O PRINTHEAD



Pos. 22 nicht gezeichnet!
Pos. 22 not illustrated!
Pos. 22 pas illustré!
Pos. 22 sin ilustración!

71.29.700

Print mechanism Pica II 10X, thermal transfer
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
1	10.41.012	Spacer roller		1
2	12.40.345	DISTANCE BOLT M3 X 45		2
3	12.40.410	Distance bolt M4x10		4
4	16.01.007	Edge protection profile	in meters	0,12m
5*	16.01.011	Elastic bumper self-adhesive 20.6x20.6x7.6 mm		4
6*	16.15.065	Label guiding	Pica	1
7	16.25.060	Bogie wheel	Pica	1
8	16.28.025	Belt drive	Pica	1
9	16.28.040	Guiding	Pica	1
10	16.28.060	Bogie wheel	Pica	1
11	16.48.025	Window	Vita/Pica II/Vario III	1
12	16.52.158	Label unwinding roller	Compa II/Vita/Pica/Vario	1
13	18.01.001	Round belt, short	Pica I/Pica II	1
14	18.01.002	Round belt 75 Shore A	252x3 mm	1
15*	18.28.001	Pressure roller	Pica II	1
16	18.28.010	Drive roller	Pica II	1
17	28.29.001	Connecting cable CPU/power supply	Pica II	1
18	28.29.012	Connecting cable, adapter plate display-CPU	Pica II	1
19	28.30.081	Grounded conductor 2	Vario/DPM/SPE/Dynacode/Pica/Flexicode/SPE II	1
20	28.30.090	Protective conductor 2	Dynacode/SPX/Vita/Duoprint/Pica II	1
21	28.48.025	Winder supply line	Vita/Pica II/Vario III	1
22	35.01.002	Cable joint 100x2.5 mm		4
23	35.01.005	Flexiprint harness bracket		2
24	35.01.011	Cord-Clip 8 mm		2
25	37.29.101	Antistatic brush	Pica II	1
26	37.68.003	Double sided adhesive tape 9 mm		0,03

*Recommended spare part

71.29.700

Print mechanism Pica II 10X, thermal transfer
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
27	37.88.001	Rubber-sponge		0,01
28	40.01.006	Shaft protection 6 mm		3
29	41.01.007	Rosette 4x9 mm		2
30	41.02.002	Fan shaped washer M4		1
31	41.03.003	Lock washer M3		15
32	41.03.004	Lock washer M4		11
33	41.03.006	Lock washer M6		2
34	41.03.008	Lock washer M8		1
35	45.28.025	Bearing	Pica	1
36	45.28.045	COCKING BOLT		1
37	45.29.005	Main plate	Pica II	1
38	46.15.040	Return pulley	Desco/PR28/PR49/Pica	1
39	46.29.101	PRINT HEAD AXIS		1
40	46.29.105	Pressure shaft		1
41	46.29.110	Bearing pillar		1
42	46.55.010	Brush shaft	Vario/Pica II	1
43	46.77.020	Ribbon pillar short	Pica	2
44	47.03.003	Hexagon nut M3		2
45	47.04.001	Hexagon nut M3		4
46	47.05.001	Hexagon nut M4		4
47	47.07.001	Hexagon nut M6		2
48	47.08.001	Hexagon nut M8		1
49	48.01.414	Hexagon screw M4x14		2
50	48.01.870	Hexagon screw M8x70		1
51	48.04.018	Screw M3x20		1
52	48.10.308	Setscrew M3x8		2

*Recommended spare part

71.29.700

Print mechanism Pica II 10X, thermal transfer
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
53	48.14.304	Pan screw M3x4		2
54	48.14.306	Pan screw M3x6		16
55	48.14.406	Pan screw M4x6		7
56	48.14.410	Pan screw M4x10		1
57	48.15.002	Pan screw M4x10		4
58	48.15.003	Countersunk screw M3x6		2
59	48.15.204	Countersunk screw M2.5x4		2
60	48.15.408	Pan screw M4 x 8		3
61*	48.16.007	Knurled screw M3x8		2
62*	48.16.009	Knurled screw M3x8		2
63	48.16.306	Socket cap screw M3x6		7
64	48.16.412	Socket cap screw M4x12		2
65	48.16.420	Socket cap screw M4x20		2
66*	48.18.005	Spring pressure piece	Vario/Pica	2
67	48.25.001	Shoulder screw M4	Solo/Pica	2
68	48.26.410V	Screw-and-washer assembly M4x10		4
69	50.01.057	Lock washer 3.2		11
70	50.01.065	Lock washer 4.3		5
71	50.50.802	Washer 8x14x0.2		2
72*	52.15.001	Brake spring, right	Pica/Desco/Solo/Vario/DPM II	1
73	52.29.001	Printhead spring	Pica II	1
74	55.29.005	Cover foil 330 x 128 mm	Pica II	1
75	55.29.010	Front foil	Pica II	1
76*	57.01.008	Grooved ball bearing		2
77*	57.28.005	Clip bearing	Pica/DPM III/SPE/Vita	2
78	57.52.001	Hinge		2

*Recommended spare part

71.29.700


Print mechanism Pica II 10X, thermal transfer
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
79	67.28.020	Locking mechanism	Pica	1
80	67.28.045	Sole plate, outside	Pica	1
81	67.29.001	Cover, left	Pica II	1
82	67.29.005	CHASSIS FOR PICA II		1
83	67.29.015	Connecting plate	Pica II	1
84	67.29.025	Sole plate, above	Pica II	1
85	67.29.050	Cover for interfaces	Pica II	1
86	67.29.101	Base plate	Pica II	1
87	67.29.105	Cover, right	Pica II	1
88	67.29.110	Printhead bracket	Pica II	1
89	67.29.120	Front sheet	Pica II	1
90	67.29.130	Tear-off edge	Pica II	1
91	67.48.035	Interface cover	Vita II/Compa II/Pica II/Duop/Vario III/Spectra II	1
92*	70.29.002	CPU	Pica II	1
93	71.29.005	Power entry module cpl	Pica II	1
94	71.29.010	Label photocell transmission	Pica II	1
95	71.29.100	Stepper motor cpl	Pica II	1
96	71.48.015A	Ribbon photocell cpl	Pica II	1
97*	72.28.007	Ribbon rewinding/unwinding roller cpl	Desco/Vario/Pica	2
98*	72.28.020	Drive cpl	Pica	1
99	72.28.030	Carrier cpl	Pica	1
100	72.29.020	Washer, outside	Pica II	1
101	72.48.001	Washer, inside	Pica II/Vita II/Vita V	1

*Recommended spare part


71.29.750

PRINT MECHANISM PICA II 10X, THERMAL PRE-ASSEMBLED W/O PRINthead




71.29.750

PRINT MECHANISM PICA II 10X, THERMAL PRE-ASSEMBLED W/O PRINTHEAD




71.29.750

PRINT MECHANISM PICA II 10X, THERMAL PRE-ASSEMBLED W/O PRINTHEAD



71.29.750

PRINT MECHANISM PICA II 10X, THERMAL PRE-ASSEMBLED W/O PRINTHEAD



Pos. 15 nicht gezeichnet!
Pos. 15 not illustrated!
Pos. 15 pas illustré!
Pos. 15 sin ilustración!

71.29.750

Print mechanism Pica II 10X, thermal
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
1	12.40.345	DISTANCE BOLT M3 X 45		2
2	12.40.410	Distance bolt M4x10		4
3	16.01.007	Edge protection profile	in meters	1,00m
4*	16.01.011	Elastic bumper self-adhesive 20.6x20.6x7.6 mm		4
5*	16.15.065	Label guiding	Pica	1
6	16.28.040	Guiding	Pica	1
7	16.48.025	Window	Vita/Pica II/Vario III	1
8	16.52.158	Label unwinding roller	Compa II/Vita/Pica/Vario	1
9*	18.28.001	Pressure roller	Pica II	1
10	28.29.001	Connecting cable CPU/power supply	Pica II	1
11	28.29.012	Connecting cable, adapter plate display-CPU	Pica II	1
12	28.30.081	Grounded conductor 2	Vario/DPM/SPE/Dynacode/Pica/Flexicode/SPE II	1
13	28.30.090	Protective conductor 2	Dynacode/SPX/Vita/Duoprint/Pica II	1
14	28.48.025	Winder supply line	Vita/Pica II/Vario III	1
15	35.01.002	Cable joint 100x2.5 mm		4
16	35.01.005	Flexiprint harness bracket		2
17	35.01.011	Cord-Clip 8 mm		2
18	37.68.003	Double sided adhesive tape 9 mm		0,03
19	37.88.001	Rubber-sponge		0,01
20	40.01.006	Shaft protection 6 mm		1
21	41.01.007	Rosette 4x9 mm		2
22	41.02.002	Fan shaped washer M4		1
23	41.03.003	Lock washer M3		11
24	41.03.004	Lock washer M4		11
25	41.03.008	Lock washer M8		1
26	45.29.005	Main plate	Pica II	1

*Recommended spare part

71.29.750

Print mechanism Pica II 10X, thermal
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
27	46.15.040	Return pulley	Desco/PR28/PR49/Pica	1
28	46.29.101	PRINT HEAD AXIS		1
29	46.29.105	Pressure shaft		1
30	46.29.110	Bearing pillar		1
31	46.55.010	Brush shaft	Vario/Pica II	1
32	47.03.003	Hexagon nut M3		2
33	47.04.001	Hexagon nut M3		4
34	47.05.001	Hexagon nut M4		4
35	47.08.001	Hexagon nut M8		1
36	48.01.414	Hexagon screw M4x14		2
37	48.01.870	Hexagon screw M8x70		1
38	48.10.308	Setscrew M3x8		1
39	48.14.304	Pan screw M3x4		2
40	48.14.306	Pan screw M3x6		16
41	48.14.406	Pan screw M4x6		7
42	48.15.002	Pan screw M4x10		4
43	48.15.003	Countersunk screw M3x6		2
44	48.15.408	Pan screw M4 x 8		3
45*	48.16.007	Knurled screw M3x8		2
46*	48.16.009	Knurled screw M3x8		2
47	48.16.306	Socket cap screw M3x6		7
48	48.16.412	Socket cap screw M4x12		2
49*	48.18.005	Spring pressure piece	Vario/Pica	2
50	48.26.410V	Screw-and-washer assembly M4x10		4
51	50.01.057	Lock washer 3.2		10
52	50.01.065	Lock washer 4.3		2

*Recommended spare part

71.29.750


Print mechanism Pica II 10X, thermal
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
53	52.29.001	Printhead spring	Pica II	1
54	55.29.005	Cover foil 330 x 128 mm	Pica II	1
55	55.29.010	Front foil	Pica II	1
56*	57.28.005	Clip bearing	Pica/DPM III/SPE/Vita	2
57	57.52.001	Hinge		2
58	67.28.020	Locking mechanism	Pica	1
59	67.28.045	Sole plate, outside	Pica	1
60	67.29.001	Cover, left	Pica II	1
61	67.29.005	CHASSIS FOR PICA II		1
62	67.29.015	Connecting plate	Pica II	1
63	67.29.025	Sole plate, above	Pica II	1
64	67.29.050	Cover for interfaces	Pica II	1
65	67.29.101	Base plate	Pica II	1
66	67.29.105	Cover, right	Pica II	1
67	67.29.110	Printhead bracket	Pica II	1
68	67.29.120	Front sheet	Pica II	1
69	67.29.130	Tear-off edge	Pica II	1
70	67.48.035	Interface cover	Vita II/Compa II/Pica II/Duop/Vario III/Spectra II	1
71*	70.29.002	CPU	Pica II	1
72	71.29.005	Power entry module cpl	Pica II	1
73	71.29.010	Label photocell transmission	Pica II	1
74	71.29.100	Stepper motor cpl	Pica II	1
75	72.28.030	Carrier cpl	Pica	1
76	72.29.020	Washer, outside	Pica II	1
77	72.48.001	Washer, inside	Pica II/Vita II/Vita V	1

*Recommended spare part

90.29.100

PICA II 104/8 THERMAL TRANSFER PRINTER 200 DPI
WITH LABELSTAR OFFICE LITE



Pos. 1,14 nicht gezeichnet
Pos. 1,14 not illustrated
Pos. 1,14 pas illustré
Pos. 1,14 sin ilustración

90.29.100

**Pica II 104/8 thermal transfer printer 200 dpi
with Labelstar Office Lite**

Pos	Ident-No.	Description1	Description2	Quantity
1	24.01.012	Power cable 2 m		1
2*	28.15.011	Connecting cable CPU-power supply 250 mm	Desco/DPM II/Spectra 216/Pica II/Dynacode	1
3*	28.48.100	Printhead cable, power supply	Vita 104/Vita 106/Pica II/ALP/Compa III 10X	1
4*	37.04.1156	Thermal printhead 104-8	Pica II/Vita II, including intermediate layer	1
5	37.29.003	Power supply	Pica II 104/Pica II 106	1
6	45.48.125	Guiding	Vita/Pica II	1
7	48.04.205	Screw M2x5		3
8	48.16.304	Socket cap screw M3x4		2
9	48.22.408	Screw M4.8		1
10	50.01.009	Lock washer 5x2x0.3		3
11	50.01.057	Lock washer 3.2		2
12	71.29.033	Control unit cpl	Pica II	1
13	71.29.700	Print mechanism Pica II 10X, thermal transfer	pre-assembled w/o printhead	1
14	89.02.002	Data cable USB 1.8 m plug A to plug B		1

*Recommended spare part

90.29.151

**Pica II 103/8 T thermal printer 200 dpi
with Labelstar Office Lite**

Pos	Ident-No.	Description1	Description2	Quantity
1	24.01.012	Power cable 2 m		1
2*	28.29.190	Printhead cable, power supply	Pica II 103/Pica II 108/Compa III 10X	1
3	28.29.195	Printhead cable, data signals	Pica II 103/Pica II 108	1
4*	37.04.1027	Thermal printhead 103-8	Pica II/Vita II, including intermediate layer	1
5	37.29.001	Power supply	Pica II 103/Pica II 108	1
6	48.16.304	Socket cap screw M3x4		2
7	48.22.408	Screw M4.8		1
8	50.01.057	Lock washer 3.2		2
9	71.29.033	Control unit cpl	Pica II	1
10	71.29.750	Print mechanism Pica II 10X, thermal	pre-assembled w/o printhead	1
11	89.02.002	Data cable USB 1.8 m plug A to plug B		1


*Recommended spare part

Modifications and errors excepted

Pica II: 10.2024

19 / 48

**PICA II 106/12 THERMAL TRANSFER PRINTER 300 DPI
WITH LABELSTAR OFFICE LITE**



90.29.200

**Pica II 106/12 thermal transfer printer 300 dpi
with Labelstar Office Lite**

Pos	Ident-No.	Description1	Description2	Quantity
1	24.01.012	Power cable 2 m		1
2*	28.15.011	Connecting cable CPU-power supply 250 mm	Desco/DPM II/Spectra 216/Pica II/Dynacode	1
3*	28.48.100	Printhead cable, power supply	Vita 104/Vita 106/Pica II/ALP/Compa III 10X	1
4*	37.04.2326	Thermal printhead 106-12	Pica II/Vita II, including intermediate layer	1
5	37.29.003	Power supply	Pica II 104/Pica II 106	1
6	45.48.125	Guiding	Vita/Pica II	1
7	48.04.205	Screw M2x5		3
8	48.16.304	Socket cap screw M3x4		2
9	48.22.408	Screw M4.8		1
10	50.01.009	Lock washer 5x2x0.3		3
11	50.01.057	Lock washer 3.2		2
12	71.29.033	Control unit cpl	Pica II	1
13	71.29.700	Print mechanism Pica II 10X, thermal transfer	pre-assembled w/o printhead	1
14	89.02.002	Data cable USB 1.8 m plug A to plug B		1

*Recommended spare part

Modifications and errors excepted

Pica II: 10.2024

21 / 48

90.29.251

**Pica II 108/12 T thermal printer 300 dpi
with Labelstar Office Lite**

Pos	Ident-No.	Description1	Description2	Quantity
1	24.01.012	Power cable 2 m		1
2*	28.29.190	Printhead cable, power supply	Pica II 103/Pica II 108/Compa III 10X	1
3	28.29.195	Printhead cable, data signals	Pica II 103/Pica II 108	1
4*	37.04.2335	Thermal printhead 108-12	Pica II/Vita II, including intermediate layer	1
5	37.29.001	Power supply	Pica II 103/Pica II 108	1
6	48.16.304	Socket cap screw M3x4		2
7	48.22.408	Screw M4.8		1
8	50.01.057	Lock washer 3.2		2
9	71.29.033	Control unit cpl	Pica II	1
10	71.29.750	Print mechanism Pica II 10X, thermal	pre-assembled w/o printhead	1
11	89.02.002	Data cable USB 1.8 m plug A to plug B		1

*Recommended spare part


Modifications and errors excepted

Pica II: 10.2024

22 / 48

90.29.500

**DISPENSER WITHOUT PHOTOCELL
PICA II OPTION**



90.29.500

Dispenser without photocell

Pica II option

Pos	Ident-No.	Description1	Description2	Quantity
1	12.48.501	Bearing bolt	Vita/Pica	1
2	16.29.505	Return pulley	Pica II	1
3	16.48.510	Snap-in device		1
4	40.01.002	Shaft protection 2.3 mm		1
5	40.01.003	Shaft protection 3.2 mm		3
6	45.29.501	Bearing	Pica II	1
7	45.29.505	GUIDING DEVICE		1
8	45.55.301	Dispensing pillar	Vario/Pica II	1
9	46.29.500	Shaft for pressure roller	Pica II	1
10	46.29.515	Dispenser shaft	Pica II	1
11	48.10.004	Setscrew M3x4		1
12	48.13.038	Socket cap screw 3x8		2
13	48.15.003	Countersunk screw M3x6		5
14	48.16.306	Socket cap screw M3x6		2
15	48.48.001	Screw	Vita/Pica	1
16	52.10.005	Compression spring	Genio/Vita/Pica	1
17	67.29.500	DISPENSING ANGLE	PICA II	1
18	72.29.501	Pressure roller cpl	Vita II/Pica II	1

*Recommended spare part

Modifications and errors excepted


Pica II: 10.2024

24 / 48

90.29.550

DISPENSER WITH PHOTOCELL

PICA II OPTION



90.29.550

Dispenser with photocell
Pica II option


Pos	Ident-No.	Description1	Description2	Quantity
1	48.04.208	Screw M2x8		1
2	50.01.009	Lock washer 5x2x0.3		1
3	71.48.501A	Dispenser photocell cpl	Pica II/Vita II/Vario III	1
4	90.29.500	Dispenser without photocell	Pica II option	1

*Recommended spare part

90.29.555

DISPENSER WITH PHOTOCELL AND ROLLERS

PICA II OPTION




90.29.555

Dispenser with photocell and rollers
Pica II option

Pos	Ident-No.	Description1	Description2	Quantity
1	48.04.208	Screw M2x8		1
2	50.01.009	Lock washer 5x2x0.3		1
3	71.48.501A	Dispenser photocell cpl	Pica II/Vita II/Vario III	1
4	90.28.305A	Label dispenser without photocell	Pica, with rollers	1

*Recommended spare part

90.29.600A
CUTTER UNIT GUILLOTINE
PICA II OPTION



90.29.600A

Cutter unit Guillotine

Pica II option

Pos	Ident-No.	Description1	Description2	Quantity
1	10.29.601	Spacer	Pica II	2
2	10.48.624	Bearing flange	Vita II/Pica II	1
3	12.29.655	Adjusting screw	Pica II	1
4	12.48.605	Bearing bolt	Vita/Pica	1
5	12.48.624	Spring pillar	Vita II/Pica II	1
6	16.29.615	Label guiding	Pica II	2
7	16.48.605	Guiding	Vita/Pica	1
8	16.48.614	Slide part	Vita II/Pica II	1
9*	16.55.201	Sliding part	Vario/Spectra 216/Vita/Pica	1
10	28.48.020A	Connecting cable cutter plate/CPU	Vita II/Pica II	1
11	40.01.003	Shaft protection 3.2 mm		9
12	40.01.004	Shaft protection 4 mm		1
13	45.29.620	Ledge	Pica II	1
14	45.48.610	Whip bearing	Vita II/Pica II	1
15	45.48.614	Whip bearing	Vita II/Pica II	1
16	45.55.201	Strut	Vario/Vita/Pica	1
17	46.48.601	Bearing shaft	Vita/Pica	1
18	46.48.614	Bearing shaft	Vita II/Pica II	1
19	46.88.655	Whip shaft	Spectra 216/Vita II/Pica II	1
20	47.04.001	Hexagon nut M3		1
21	48.04.001	Screw M3x8		1
22	48.10.303	Setscrew M3x3		2
23	48.14.306	Pan screw M3x6		10
24	48.14.310	Pan screw M3x10		5
25	48.15.003	Countersunk screw M3x6		9
26	48.15.206	Pan screw M2.5x6		3

*Recommended spare part

90.29.600A

Cutter unit Guillotine

Pica II option

Pos	Ident-No.	Description1	Description2	Quantity
27	48.15.310	Countersunk screw M3x10		3
28	48.15.408	Pan screw M4 x 8		1
29*	48.16.007	Knurled screw M3x8		2
30	48.16.306	Socket cap screw M3x6		2
31	48.16.312	Socket cap screw M3x12		2
32	50.01.057	Lock washer 3.2		8
33*	52.48.024	Spring	Vita II/Pica II	1
34*	57.02.090	Slide bearing		1
35*	57.03.012	Grooved ball bearing		1
36*	57.48.004	Slide bearing	Vita II/Pica II	1
37*	59.48.610	Driving gear	Vita II/Pica II	1
38	67.29.620	Front sheet	Pica II	1
39	67.29.625	Base plate	Pica II	1
40	67.29.630	Spring sheet	Pica II	1
41	67.48.601	Cutter angle	Vita II/Pica II	1
42	67.48.614	Plate transverse	Vita II/Pica II	1
43	67.48.615	Motor cover	Vita II/Pica II	1
44*	67.55.225	Cutter ledge fixed	Vario/Vita II/Pica II	1
45	67.55.245	Adjusting plate	Vario/Spectra 216/Vita II/Pica II	1
46	70.18.010	Circuit board cutter cpl	Micra/Vita II/Pica II/Vario III	1
47	71.48.650	Motor and photocell cpl	Pica II/Vita II	1
48*	72.48.605	Crank lever	Vita II/Pica II	1
49	72.48.624	Cutter sheet	Vita II/Pica II	1


*Recommended spare part

Modifications and errors excepted

Pica II: 10.2024

31 / 48

WLAN, OPTION FOR NEW PRINTERS
PICA II OPTION, NO RETROFIT POSSIBLE



90.29.780

WLAN, option for new printers

Pica II option, no retrofit possible

Pos	Ident-No.	Description1	Description2	Quantity
1	10.41.002	Spacer roller		2
2	12.40.315	Distance bolt M3x15		2
3	28.29.010	Connecting cable I/O-CPU	Pica II/Flexicode/SPE II	1
4	37.09.506	WLAN module		1
5	37.09.510	Antenna connection		1
6	37.09.520	Antenna		1
7	47.00.016	Hexagon nut M1.6		2
8	47.04.001	Hexagon nut M3		1
9	48.04.161	Screw M1.6x10		2
10	48.14.306	Pan screw M3x6		4
11	50.01.057	Lock washer 3.2		4
12	67.29.780	SUPPORTING PLATE		1
13	70.39.020	WLAN adapter serial cpl		1


*Recommended spare part

Modifications and errors excepted

Pica II: 10.2024

33 / 48

90.29.782
ETHERNET 10/100
PICA II OPTION



90.29.782


Ethernet 10/100

Pica II option

Pos	Ident-No.	Description1	Description2	Quantity
1	12.40.320	Distance bolt M3x20		1
2	47.04.001	Hexagon nut M3		1
3	48.14.306	Pan screw M3x6		1
4	50.01.057	Lock washer 3.2		2
5	70.39.006	Ethernet	Pica II	1

*Recommended spare part

90.29.787
DISPENSER I/O
PICA II OPTION



90.29.787

Dispenser I/O

Pica II option

Pos	Ident-No.	Description1	Description2	Quantity
1	12.40.320	Distance bolt M3x20		1
2	25.04.016	Cover 15-pin		1
3	25.04.046	SUB-D 26-pin		1
4	25.04.100	SUB-D fixing set		2
5	28.29.010	Connecting cable I/O-CPU	Pica II/Flexicode/SPE II	1
6	47.04.001	Hexagon nut M3		1
7	48.14.306	Pan screw M3x6		1
8	50.01.057	Lock washer 3.2		2
9*	70.39.005	I/O plate cpl		1


*Recommended spare part

Modifications and errors excepted

Pica II: 10.2024

37 / 48

90.29.790
LABEL UNWINDER
PICA II OPTION



90.29.790

Label unwinder

Pica II option

Pos	Ident-No.	Description1	Description2	Quantity
1	10.29.001	Centering bushing	Pica II	1
2	41.03.006	Lock washer M6		1
3	45.15.011	Support pillar	Desco/Pica II	1
4	47.07.001	Hexagon nut M6		1
5	50.01.076	Lock washer M6		1
6	72.15.041	Label holder outside, 40 mm	Pica/Vario II/Vario III, option	1
7	72.29.001	Label holder, inside 40 mm	Pica II	1

*Recommended spare part

Modifications and errors excepted


Pica II: 10.2024

39 / 48

92.48.001

REWINDER PR 48 FOR LABELS

VITA II/PICA II



Pos. 10 nicht gezeichnet!
Pos. 10 not illustrated!
Pos. 10 pas illustré!
Pos. 10 sin ilustración!

92.48.001

Rewinder PR 48 for labels

Vita II/Pica II

Pos	Ident-No.	Description1	Description2	Quantity
1	10.63.041	Striker arm	PR30/PR25/PR26/PR28/PR48/PR49	1
2	10.63.045	Bearing	PR30/25/26/28/48/49	1
3*	12.15.035	Clasp	Spectra/Vario/PR28/PR48/PR49	1
4	12.48.905	Centering pin	PR 48/PR 49	2
5*	16.01.015	Elastic bumper self-adhesive 20.6x20.6x13.2 mm		2
6	16.28.045	Rewinding roller	PR28/48/49	1
7	21.01.060	Motor with drive 24V	PR28/PR48/PR49	1
8	28.48.925	Winder connecting cable for PR48/PR 45 II		1
9	29.02.005	Condenser		1
10	35.01.002	Cable joint 100x2.5 mm		1
11	35.05.030	Cover black		1
12	45.03.010	Motor bracket	PR30/PR25/PR26/PR28/PR48/PR49	1
13	45.25.001	SPACER BLOCK		1
14	48.02.001	Screw M4x12		1
15	48.10.004	Setscrew M3x4		2
16	48.14.110V	Pan screw M2x10 stainless		3
17	48.15.406	Countersunk screw M4 x 6		2
18	48.16.004	Socket cap screw M4x25		1
19	48.16.430	Socket cap screw M4x30		2
20	50.01.065	Lock washer 4.3		2
21	50.01.096	Lock washer 4.3x20x1.25		1
22	50.01.940	Striker arm plate	PR30/PR25/PR26/PR28/PR48/PR49	2
23*	52.01.007	Compression spring	Spectra/SPE/Vario/PR25/26/28/45/48/49/ILX	1
24	67.48.905	Base plate for PR48	Vita/Pica II	1

*Recommended spare part

Modifications and errors excepted


Pica II: 10.2024

41 / 48

92.48.010

REWINDER PR 49 FOR LABEL CARRIER

VITA II/PICA II



92.48.010

Rewinder PR 49 for label carrier

Vita II/Pica II

Pos	Ident-No.	Description1	Description2	Quantity
1	10.63.041	Striker arm	PR30/PR25/PR26/PR28/PR48/PR49	1
2	10.63.045	Bearing	PR30/25/26/28/48/49	1
3*	12.15.035	Clasp	Spectra/Vario/PR28/PR48/PR49	1
4	12.48.905	Centering pin	PR 48/PR 49	2
5*	16.01.015	Elastic bumper self-adhesive 20.6x20.6x13.2 mm		2
6	16.28.045	Rewinding roller	PR28/48/49	1
7	21.01.060	Motor with drive 24V	PR28/PR48/PR49	1
8	28.48.930	Winder connecting cable for PR49	Vita/Pica	1
9	29.02.005	Condenser		1
10	35.01.002	Cable joint 100x2.5 mm		1
11	35.05.030	Cover black		1
12	45.03.010	Motor bracket	PR30/PR25/PR26/PR28/PR48/PR49	1
13	45.25.001	SPACER BLOCK		1
14	46.15.040	Return pulley	Desco/PR28/PR49/Pica	1
15	48.02.001	Screw M4x12		1
16	48.10.004	Setscrew M3x4		2
17	48.14.110V	Pan screw M2x10 stainless		3
18	48.15.406	Countersunk screw M4 x 6		2
19	48.16.004	Socket cap screw M4x25		1
20	48.16.410	Socket cap screw M4x10		1
21	48.16.430	Socket cap screw M4x30		1
22	50.01.065	Lock washer 4.3		3
23	50.01.096	Lock washer 4.3x20x1.25		1
24	50.01.940	Striker arm plate	PR30/PR25/PR26/PR28/PR48/PR49	2
25*	52.01.007	Compression spring	Spectra/SPE/Vario/PR25/26/28/45/48/49/ILX	1
26	67.48.915	Base plate for PR49	Vita/Pica II	1

*Recommended spare part

Modifications and errors excepted


Pica II: 10.2024

43 / 48

92.66.014

REWINDER PR 45 II

DIAMETER = 270 MM, MAX PRINT SPEED UP TO 300 MM/S



92.66.014

Rewinder PR 45 II

diameter = 270 mm, max print speed up to 300 mm/s

Pos	Ident-No.	Description1	Description2	Quantity
1	10.92.010	Intermediate ring	PR45 II	1
2	10.92.030	Adjusting ring	PR 45	1
3	12.92.010	Clamp	PR45	1
4*	16.01.011	Elastic bumper self-adhesive 20.6x20.6x7.6 mm		4
5	16.92.005	Rewinding roll	PR45	1
6	16.92.007	Bogie wheel	PR45	1
7	16.92.009	Bearing	PR45	1
8	25.05.001	CONNECTOR		0,3
9	25.09.002	Ferrule 0.25		2
10	26.01.048	Switch 2pin		1
11	28.48.925	Winder connecting cable for PR48/PR 45 II		1
12	28.92.003	Cable cpl	PR 45	2
13	28.92.015	Adapter cable		1
14	29.02.005	Condenser		1
15	30.08.010	Resistance 22 OHM 10%		1
16	35.01.002	Cable joint 100x2.5 mm		1
17	40.01.004	Shaft protection 4 mm		1
18	41.01.007	Rosette 4x9 mm		2
19	41.03.006	Lock washer M6		1
20	42.03.002	Grooved taper pin 2x6		1
21	46.92.005	Return pulley	PR45	1
22	48.10.005	Setscrew M4x4		3
23	48.15.002	Pan screw M4x10		3
24	48.15.003	Countersunk screw M3x6		2
25	48.15.308	Countersunk screw M3x8		2
26	48.15.312	Countersunk screw M3x12		2

*Recommended spare part

92.66.014

Rewinder PR 45 II


diameter = 270 mm, max print speed up to 300 mm/s

Pos	Ident-No.	Description1	Description2	Quantity
27	48.16.312	Socket cap screw M3x12		5
28	48.16.410	Socket cap screw M4x10		2
29	48.16.412	Socket cap screw M4x12		1
30	48.20.612	Socket cap screw M6x12		1
31	50.01.057	Lock washer 3.2		4
32	50.01.065	Lock washer 4.3		2
33	50.01.096	Lock washer 4.3x20x1.25		1
34	50.15.005	Brake washer	Spectra/Vario/Vita/ILX/Duoprint, only replacement	2
35*	52.01.007	Compression spring	Spectra/SPE/Vario/PR25/26/28/45/48/49/ILX	1
36*	57.01.006	Grooved ball bearing		2
37	59.02.045	Toothed belt wheel	PR45 II	1
38	59.02.459	COGGED BELT DRIVE		1
39	66.92.002	BOTTOM PLATE		1
40	66.92.006	Cover, base part		1
41	66.92.016	Cover		1
42	71.92.003	Motor cpl	PR45 II	1
43	72.92.016	Support cpl	PR45 II	1
44	72.92.018	Bearing shaft cpl	PR45 II	1
45	72.92.020	Brake ring cpl	PR45	1
46	72.92.027	Roller disc cpl 270/40 mm	PR45	2

*Recommended spare part

92.66.050A

UNWINDER PA 50A, FOR LABEL CORE 40 MM
COMPA/VARIO/VITA/SPECTRA



92.66.050A

Unwinder PA 50A, for label core 40 mm
Compa/Vario/Vita/Spectra

Pos	Ident-No.	Description1	Description2	Quantity
1*	16.01.011	Elastic bumper self-adhesive 20.6x20.6x7.6 mm		4
2	46.92.010	Return pulley	PA50A	1
3	48.15.412	Pan screw M4x12		2
4	66.92.103	Unwinding unit	Compa/Vario/Spectra	1
5	72.92.075	Roller bearing shaft cpl 40 mm	PA50/PA60	1

*Recommended spare part