



Vita V

Spare parts list
Parts list




71.48.700E

PRINT MECHANISM VITA V 10X THERMAL TRANSFER
PRE-ASSEMBLED W/O PRINTHEAD




71.48.700E

PRINT MECHANISM VITA V 10X THERMAL TRANSFER
PRE-ASSEMBLED W/O PRINTHEAD




71.48.700E

PRINT MECHANISM VITA V 10X THERMAL TRANSFER PRE-ASSEMBLED W/O PRINTHEAD




71.48.700E

PRINT MECHANISM VITA V 10X THERMAL TRANSFER
PRE-ASSEMBLED W/O PRINTHEAD




71.48.700E

PRINT MECHANISM VITA V 10X THERMAL TRANSFER
PRE-ASSEMBLED W/O PRINTHEAD




PRINT MECHANISM VITA V 10X THERMAL TRANSFER PRE-ASSEMBLED W/O PRINTHEAD




71.48.700E

PRINT MECHANISM VITA V 10X THERMAL TRANSFER
PRE-ASSEMBLED W/O PRINTHEAD




71.48.700E

PRINT MECHANISM VITA V 10X THERMAL TRANSFER
PRE-ASSEMBLED W/O PRINthead



71.48.700E

PRINT MECHANISM VITA V 10X THERMAL TRANSFER
PRE-ASSEMBLED W/O PRINTHEAD



71.48.700E

Print mechanism Vita V 10X thermal transfer
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
1*	10.87.020	Eccentric bearing	Vario/SPE/DPM/SPX/Vita/Flexicode	1
2	10.88.001	Bearing bush	Spectra/SPE/DPM/SPX/Vita/Flexicode/ILX/ALP	2
3	10.88.015	Spacer sleeve	Spectra/SPE/Vario/SPX/Vita	1
4*	10.88.020	Eccentric bearing	Spectra/SPE/SPX/Vita/Duoprint/ILX	1
5	12.41.41602	Distance bolt M4x16		3
6	12.41.43482	DISTANCE BOLT M4 X 34,8		6
7	12.41.45001	Distance bolt M4x50		2
8	16.01.007	Edge protection profile	in meters	0,14m
9*	16.01.011	Elastic bumper self-adhesive 20.6x20.6x7.6 mm		4
10	16.48.0050	Adjusting ring	Vita V	1
11	16.48.008	Front panel, below left	Vita	1
12	16.48.0100	Guiding, inside	Vita V	1
13	16.48.020	Bogie wheel	Vita/ILX	1
14	16.48.025	Window	Vita/Pica II/Vario III	1
15	16.52.001A	Front panel graphics, top left	Compa II/Vita	1
16	16.52.158	Label unwinding roller	Compa II/Vita/Pica/Vario	1
17	16.88.055	Sprocket wheel	Spectra/SPE/DPM/Vario/SPX/Vita/Flexicode/ALP	1
18*	18.48.101	Pressure roller	Vita	2
19	26.52.005	Foil keyboard	Vita II/Compa II/Duoprint/Spectra LCD	1
20*	28.15.011	Connecting cable CPU-power supply 250 mm	Desco/DPM II/Spectra 216/Pica II/Dynacode	1
21	28.30.081	Grounded conductor 2	Vario/DPM/SPE/Dynacode/Pica/Flexicode/SPE II	1
22	28.30.500	Earth cable 100 mm		1
23*	28.42.195	Printhead cable, power supply		1
24*	28.48.009	Buffer capacitor with cable	Vita II/Vita V/Vario V	1
25*	28.48.0250	Winder supply line	Vita V/Vario V	1
26	28.48.035A	Connecting cable, control unit/CPU SH3	Vita II/Compa II/SPX II/Vario III/DC II/SPE II	1

*Recommended spare part

71.48.700E

Print mechanism Vita V 10X thermal transfer
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
27*	28.48.506	Connecting cable, power supply/CPU	Vita V	1
28	28.87.005C	Photocell cable, transmission-reflexion photocell	SPE II	1
29	35.01.001	Mounting base self-adhesive 19x19 mm		1
30	35.01.012	Cord clip		1
31	35.01.014	Aluminium clip		3
32	35.01.045	MOUNTING BRACKET		1
33	35.04.004	Tube 3.2 mm, black		0,02m
34	37.39.405	POWER SUPPLY		1
35	37.68.003	Double sided adhesive tape 9 mm		0,03
36	37.88.001	Rubber-sponge		0,01
37	37.89.015	PLUG		2
38	40.01.003V	Shaft protection 3.2 mm stainless		1
39	40.01.006V	Shaft protection 6 mm stainless		8
40	41.02.001	FAN SHAPED WASHER M3		2
41	41.02.002V	Fan shaped washer M4 stainless		2
42	41.03.003V	Lock washer M3 stainless		13
43	41.03.004V	Lock washer M4 stainless		18
44	41.03.008	Lock washer M8		1
45	45.48.0260	Pressure lever, green	Vita V	1
46	45.48.1010	Profile below 140 mm	Vita V	1
47	45.48.103	Profile, above 140 mm	Vita	1
48	46.48.1010	Return pulley	Vita V	1
49	46.48.1250	Ribbon rewinding shaft	Vita V	1
50	46.89.120-40	REWINDING SHAFT FOR RIBBON	ALP 10X	1
51	47.03.004V	Hexagon nut M4 stainless		1
52	47.04.001V	Hexagon nut M3 stainless		4

*Recommended spare part

71.48.700E

Print mechanism Vita V 10X thermal transfer
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
53	47.05.001V	Hexagon nut M4 stainless		3
54	47.08.001	Hexagon nut M8		1
55	48.01.870	Hexagon screw M8x70		1
56	48.10.005V	Setscrew M4x4 stainless		1
57	48.10.005V-P	Setscrew M4x4 stainless	Thread coating Precote 30-8	4
58	48.10.408V	Setscrew M4x8 stainless		2
59	48.13.001	Screw 2.9x9.5		3
60	48.13.212	Screw 22x4.5		2
61	48.14.110V	Pan screw M2x10 stainless		2
62	48.16.004V	Socket cap screw M4x25		1
63	48.16.304V	Socket cap screw M3x4 stainless		2
64	48.16.306V	Socket cap screw M3x6 stainless		6
65	48.16.312V	Socket cap screw M3x12 stainless		2
66	48.16.412V	Socket cap screw M4x12 stainless		2
67	48.16.416V	Socket cap screw M4x16 stainless		2
68	48.16.435V	Socket cap screw M4x35 stainless		1
69	48.16.460V	Socket cap screw M4x60 stainless		1
70	48.18.017	SPRING PRESSURE PART		1
71	48.19.408V	Socket cap screw A2 stainless M4x8		5
72	48.19.410V	Socket cap screw M4x10 stainless		4
73	48.19.412V	HEXAGON SCREW A2 M4X12 DIN7991		2
74	48.24.304V	Pan screw M3x4 stainless		2
75	48.24.306V	Pan screw M3x6 stainless		13
76	48.24.308V	Pan screw M3x8 stainless		2
77	48.24.406V	Pan screw M4x6 stainless		11
78	48.24.410V	Pan screw M4x10 stainless		8

*Recommended spare part

71.48.700E

Print mechanism Vita V 10X thermal transfer
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
79	48.26.410V	Screw-and-washer assembly M4x10		10
80	48.31.306V	Pan screw with flange M3x6		7
81	50.01.009	Lock washer 5x2x0.3		2
82	50.01.012	Lock washer 18x8.15x1.0 stainless		3
83	50.01.031	Lock washer 12x8.2x0.2 stainless		3
84	50.01.046V	Lock washer M4 stainless		2
85	50.01.057V	Washer 3.2 stainless		7
86	50.01.065V	Lock washer 4.3 stainless		2
87*	50.88.001	Striker arm plate	Spectra/SPE/SPX/DPM III+IV/Vario II/Vita/FC/ALP	2
88	52.48.010	Spring	Vita/Pica	1
89*	52.55.010	Tension spring		1
90*	52.88.005	Compression spring	Spectra/DPM/SPE/Vario/SPX/Vita/Flexicode/ALP	2
91	55.03.020	Company logo "Valentin"		1
92	55.48.0050	Cover foil 300x132 mm	Vita V	1
93*	57.01.007	Grooved ball bearing		8
94*	57.28.005	Clip bearing	Pica/DPM III/SPE/Vita	1
95	57.52.001	Hinge		2
96	59.48.276	Toothed belt		1
97	59.88.032	Toothed belt wheel	Spectra/SPE/SPX/Vita/Flexicode/ALP	1
98	59.88.033	Toothed belt wheel	Spectra/SPE/SPX/Vita/ILX	1
99*	59.88.406	Toothed belt	Spectra/SPE/Vita/Flexicode	1
100	67.48.0010	Cover, left	Vita V	1
101	67.48.0070	Chassis	Vita V	1
102	67.48.010A	Angular stay		1
103	67.48.0170	Connecting plate	Vita V	1
104	67.48.020	Angular stay	Vita II/Compa II	1

*Recommended spare part

71.48.700E

Print mechanism Vita V 10X thermal transfer
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
105	67.48.022	Conductive plate	Vita II/Compa II	1
106	67.48.025	Sole plate, above	Vita II/Vita V	1
107	67.48.0310	Sole plate, below	Vita V	1
108	67.48.035	Interface cover	Vita II/Compa II/Pica II/Duop/Vario III/Spectra II	1
109	67.48.1010	Base plate	Vita V	1
110	67.48.1050	Cover, right	Vita V	1
111	67.48.110	Printhead bracket	Vita	1
112	67.48.130	Tear-off edge	Vita/Duoprint 107/Spectra II 10X	1
113	67.52.012	Angle	Vita II/Compa II	1
114	67.88.030	Sole plate ribbon rewinder	Spectra/Spectra II/SPE/Vario/SPX/Vita	1
115	67.88.035	Sole plate ribbon unwinder	Spectra/SPE/SPX/Vita/ILX	1
116	70.48.0200	CPU complete	Vita V	1
117	71.48.0010	Stepper motor feed	Vita V	1
118*	71.48.0050	Power entry module cpl	Vita V	1
119*	71.48.0140	Ribbon photocell cpl	Vita V	1
120	71.48.016A	Printhead switch	Vita II	1
121*	71.48.0200	Label photocell transmission+reflexion bottom	Vita V	1
122	71.48.030A	Control unit SH3-III cpl	Vita/Compa/Duoprint/Dynacode/Spectra LCD/ALP	1
123	72.48.001	Washer, inside	Pica II/Vita II/Vita V	1
124	72.48.0020	Washer, outside	Vita V	1
125	72.48.0050	Main plate cpl	Vita V	1
126	72.48.019	Toothed belt wheel cpl	Vita/ILX/Duoprint	1
127	72.48.1000	Pressure shaft cpl	Vita V	1
128	72.74.010	Bearing ring	ILX/Spectra II/LPM II/SPE II	1
129	72.87.101C	Ribbon rewinding/unwinding roller cpl	SPE II 10X	2
130*	72.88.048	Toothed belt wheel cpl	Spectra/SPE/Vario/SPX/Vita/Flexicode/ILX/ALP	1

*Recommended spare part

71.48.700E


Print mechanism Vita V 10X thermal transfer
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
131	72.88.070	Backfeed plate cpl	Spectra/SPE/DPM III/Vario/SPX/Vita/ILX/ALP	1
132	72.88.110	Brush shaft cpl	Spectra 107/Spectra 108/Vita/Duoprint 108	2

*Recommended spare part


71.48.750E

PRINT MECHANISM VITA V 10X THERMAL
PRE-ASSEMBLED W/O PRINTHEAD




71.48.750E

PRINT MECHANISM VITA V 10X THERMAL
PRE-ASSEMBLED W/O PRINTHEAD




71.48.750E

PRINT MECHANISM VITA V 10X THERMAL
PRE-ASSEMBLED W/O PRINTHEAD




71.48.750E

**PRINT MECHANISM VITA V 10X THERMAL
PRE-ASSEMBLED W/O PRINTHEAD**




71.48.750E

PRINT MECHANISM VITA V 10X THERMAL
PRE-ASSEMBLED W/O PRINTHEAD




71.48.750E

PRINT MECHANISM VITA V 10X THERMAL
PRE-ASSEMBLED W/O PRINTHEAD




71.48.750E

PRINT MECHANISM VITA V 10X THERMAL
PRE-ASSEMBLED W/O PRINthead



71.48.750E

**PRINT MECHANISM VITA V 10X THERMAL
PRE-ASSEMBLED W/O PRINTHEAD**



71.48.750E

Print mechanism Vita V 10X thermal
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
1*	10.87.020	Eccentric bearing	Vario/SPE/DPM/SPX/Vita/Flexicode	1
2	12.41.41602	Distance bolt M4x16		3
3	12.41.45001	Distance bolt M4x50		2
4	16.01.007	Edge protection profile	in meters	0,14m
5*	16.01.011	Elastic bumper self-adhesive 20.6x20.6x7.6 mm		4
6	16.48.0050	Adjusting ring	Vita V	1
7	16.48.008	Front panel, below left	Vita	1
8	16.48.0100	Guiding, inside	Vita V	1
9	16.48.020	Bogie wheel	Vita/ILX	1
10	16.48.025	Window	Vita/Pica II/Vario III	1
11	16.52.001A	Front panel graphics, top left	Compa II/Vita	1
12	16.52.158	Label unwinding roller	Compa II/Vita/Pica/Vario	1
13	16.55.002	Universal stopper 15.0-17.5		3
14*	18.48.101	Pressure roller	Vita	1
15	26.52.005	Foil keyboard	Vita II/Compa II/Duoprint/Spectra LCD	1
16	28.30.081	Grounded conductor 2	Vario/DPM/SPE/Dynacode/Pica/Flexicode/SPE II	1
17	28.30.500	Earth cable 100 mm		1
18*	28.42.190	Printhead cable, power supply		1
19*	28.42.191	Printhead cable, data signals		1
20*	28.48.009	Buffer capacitor with cable	Vita II/Vita V/Vario V	1
21*	28.48.0250	Winder supply line	Vita V/Vario V	1
22	28.48.035A	Connecting cable, control unit/CPU SH3	Vita II/Compa II/SPX II/Vario III/DC II/SPE II	1
23*	28.48.506	Connecting cable, power supply/CPU	Vita V	1
24	28.87.005C	Photocell cable, transmission-reflexion photocell	SPE II	1
25	35.01.001	Mounting base self-adhesive 19x19 mm		1
26	35.01.012	Cord clip		1

*Recommended spare part

71.48.750E

Print mechanism Vita V 10X thermal
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
27	35.01.014	Aluminium clip		3
28	35.01.045	MOUNTING BRACKET		1
29	37.39.405	POWER SUPPLY		1
30	37.68.003	Double sided adhesive tape 9 mm		0,03
31	37.88.001	Rubber-sponge		0,01
32	40.01.006V	Shaft protection 6 mm stainless		1
33	41.02.001	FAN SHAPED WASHER M3		2
34	41.02.002V	Fan shaped washer M4 stainless		2
35	41.03.003V	Lock washer M3 stainless		13
36	41.03.004V	Lock washer M4 stainless		17
37	41.03.008	Lock washer M8		1
38	45.48.0260	Pressure lever, green	Vita V	1
39	45.48.1010	Profile below 140 mm	Vita V	1
40	45.48.103	Profile, above 140 mm	Vita	1
41	46.48.1010	Return pulley	Vita V	1
42	46.88.110	Brush shaft	Spectra/Vita/Duoprint 107	2
43	47.03.004V	Hexagon nut M4 stainless		1
44	47.04.001V	Hexagon nut M3 stainless		4
45	47.05.001V	Hexagon nut M4 stainless		1
46	47.08.001	Hexagon nut M8		1
47	48.01.870	Hexagon screw M8x70		1
48	48.10.005V	Setscrew M4x4 stainless		1
49	48.10.005V-P	Setscrew M4x4 stainless	Thread coating Precote 30-8	2
50	48.13.001	Screw 2.9x9.5		3
51	48.14.110V	Pan screw M2x10 stainless		2
52	48.16.004V	Socket cap screw M4x25		1

*Recommended spare part

71.48.750E

Print mechanism Vita V 10X thermal
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
53	48.16.304V	Socket cap screw M3x4 stainless		2
54	48.16.306V	Socket cap screw M3x6 stainless		4
55	48.16.416V	Socket cap screw M4x16 stainless		2
56	48.18.017	SPRING PRESSURE PART		1
57	48.19.408V	Socket cap screw A2 stainless M4x8		5
58	48.19.410V	Socket cap screw M4x10 stainless		4
59	48.19.412V	HEXAGON SCREW A2 M4X12 DIN7991		2
60	48.24.304V	Pan screw M3x4 stainless		1
61	48.24.306V	Pan screw M3x6 stainless		12
62	48.24.308V	Pan screw M3x8 stainless		2
63	48.24.406V	Pan screw M4x6 stainless		11
64	48.24.410V	Pan screw M4x10 stainless		8
65	48.26.410V	Screw-and-washer assembly M4x10		3
66	48.31.306V	Pan screw with flange M3x6		7
67	50.01.009	Lock washer 5x2x0.3		2
68	50.01.012	Lock washer 18x8.15x1.0 stainless		1
69	50.01.057V	Washer 3.2 stainless		6
70	50.01.065V	Lock washer 4.3 stainless		1
71	52.48.010	Spring	Vita/Pica	1
72	55.03.020	Company logo "Valentin"		1
73	55.48.0050	Cover foil 300x132 mm	Vita V	1
74*	57.01.007	Grooved ball bearing		2
75*	57.28.005	Clip bearing	Pica/DPM III/SPE/Vita	1
76	57.52.001	Hinge		2
77	59.48.276	Toothed belt		1
78	59.88.033	Toothed belt wheel	Spectra/SPE/SPX/Vita/ILX	1

*Recommended spare part

71.48.750E

Print mechanism Vita V 10X thermal
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
79	67.48.0010	Cover, left	Vita V	1
80	67.48.0070	Chassis	Vita V	1
81	67.48.010A	Angular stay		1
82	67.48.0170	Connecting plate	Vita V	1
83	67.48.020	Angular stay	Vita II/Compa II	1
84	67.48.022	Conductive plate	Vita II/Compa II	1
85	67.48.025	Sole plate, above	Vita II/Vita V	1
86	67.48.0310	Sole plate, below	Vita V	1
87	67.48.035	Interface cover	Vita II/Compa II/Pica II/Duop/Vario III/Spectra II	1
88	67.48.1010	Base plate	Vita V	1
89	67.48.1050	Cover, right	Vita V	1
90	67.48.110	Printhead bracket	Vita	1
91	67.48.130	Tear-off edge	Vita/Duoprint 107/Spectra II 10X	1
92	67.52.012	Angle	Vita II/Compa II	1
93	70.48.0200	CPU complete	Vita V	1
94	71.48.0010	Stepper motor feed	Vita V	1
95*	71.48.0050	Power entry module cpl	Vita V	1
96	71.48.016A	Printhead switch	Vita II	1
97*	71.48.0200	Label photocell transmission+reflexion bottom	Vita V	1
98	71.48.030A	Control unit SH3-III cpl	Vita/Compa/Duoprint/Dynacode/Spectra LCD/ALP	1
99	72.48.001	Washer, inside	Pica II/Vita II/Vita V	1
100	72.48.0020	Washer, outside	Vita V	1
101	72.48.0050	Main plate cpl	Vita V	1
102	72.48.1000	Pressure shaft cpl	Vita V	1

*Recommended spare part

90.48.100E

Vita V 104/8 thermal transfer printer 200 dpi
with Labelstar Office Lite

Pos	Ident-No.	Description1	Description2	Quantity
1	24.01.012	Power cable 2 m		1
2*	37.04.1156	Thermal printhead 104-8	Pica II/Vita II, including intermediate layer	1
3	45.48.125	Guiding	Vita/Pica II	1
4	48.14.105V	Pan screw M2x5 stainless		3
5	48.20.406V	Socket cap screw M4x6 stainless		1
6	50.01.009V	Lock washer M2 stainless		3
7	71.48.700E	Print mechanism Vita V 10X thermal transfer	pre-assembled w/o printhead	1
8	89.02.002	Data cable USB 1.8 m plug A to plug B		1

*Recommended spare part

Modifications and errors excepted

Vita V: 10.2024

29 / 56

90.48.151E

Vita V 103/8 T thermal printer 200 dpi
with Labelstar Office Lite

Pos	Ident-No.	Description1	Description2	Quantity
1	24.01.012	Power cable 2 m		1
2*	37.04.3032	THERMAL PRINthead VITA V 103/8	WITH INTERLAYER	1
3	45.48.127	Guiding	Vita II/Pica II	1
4	48.04.205V	Screw M2x5 stainless		3
5	48.20.406V	Socket cap screw M4x6 stainless		1
6	50.01.009V	Lock washer M2 stainless		3
7	71.48.750E	Print mechanism Vita V 10X thermal	pre-assembled w/o printhead	1
8	89.02.002	Data cable USB 1.8 m plug A to plug B		1

*Recommended spare part

Modifications and errors excepted

Vita V: 10.2024

30 / 56

90.48.200E

Vita V 106/12 thermal transfer printer 300 dpi
with Labelstar Office Lite

Pos	Ident-No.	Description1	Description2	Quantity
1	24.01.012	Power cable 2 m		1
2*	37.04.2326	Thermal printhead 106-12	Pica II/Vita II, including intermediate layer	1
3	45.48.125	Guiding	Vita/Pica II	1
4	48.14.105V	Pan screw M2x5 stainless		3
5	48.20.406V	Socket cap screw M4x6 stainless		1
6	50.01.009V	Lock washer M2 stainless		3
7	71.48.700E	Print mechanism Vita V 10X thermal transfer	pre-assembled w/o printhead	1
8	89.02.002	Data cable USB 1.8 m plug A to plug B		1

*Recommended spare part

Modifications and errors excepted

Vita V: 10.2024

31 / 56

90.48.251E

Vita V 108/12 T thermal printer 300 dpi
with Labelstar Office Lite

Pos	Ident-No.	Description1	Description2	Quantity
1	24.01.012	Power cable 2 m		1
2*	37.04.3082	THERMAL PRINthead VITA V 108/12	WITH INTERLAYER	1
3	45.48.125	Guiding	Vita/Pica II	1
4	48.14.105V	Pan screw M2x5 stainless		3
5	48.20.406V	Socket cap screw M4x6 stainless		1
6	50.01.009V	Lock washer M2 stainless		3
7	71.48.750E	Print mechanism Vita V 10X thermal	pre-assembled w/o printhead	1
8	89.02.002	Data cable USB 1.8 m plug A to plug B		1

*Recommended spare part

Modifications and errors excepted

Vita V: 10.2024

32 / 56

90.48.300E

Vita V 106/24 thermal transfer printer 600 dpi
with Labelstar Office Lite

Pos	Ident-No.	Description1	Description2	Quantity
1	24.01.012	Power cable 2 m		1
2*	37.04.2345	Thermal printhead 106-24	Vita II, including intermediate layer	1
3	45.48.125	Guiding	Vita/Pica II	1
4	48.14.105V	Pan screw M2x5 stainless		3
5	48.20.406V	Socket cap screw M4x6 stainless		1
6	50.01.009V	Lock washer M2 stainless		3
7	71.48.700E	Print mechanism Vita V 10X thermal transfer	pre-assembled w/o printhead	1
8	89.02.002	Data cable USB 1.8 m plug A to plug B		1

*Recommended spare part

Modifications and errors excepted


Vita V: 10.2024

33 / 56

90.48.500E

DISPENSER UNIT WITHOUT PHOTOCELL

VITA V, OPTION



90.48.500E

Dispenser unit without photocell

Vita V, option

Pos	Ident-No.	Description1	Description2	Quantity
1	12.48.501	Bearing bolt	Vita/Pica	1
2	16.48.5100	Snap-in device, green	Vita V, dispenser	1
3	40.01.002V	Shaft protection 2.3 mm stainless		1
4	40.01.003V	Shaft protection 3.2 mm stainless		3
5	45.48.501	MOVEABLE BEARING		1
6	45.48.505	GUIDING		1
7	45.88.501	Dispensing pillar	Spectra/Vita	1
8	46.48.500	Shaft for pressure roller	Vita	1
9	46.88.515	Dispenser shaft	Spectra/Vita	1
10	48.10.004V	Setscrew M3x4 stainless		1
11	48.16.306V	Socket cap screw M3x6 stainless		1
12	48.19.306V	Socket cap screw M3x6 stainless		4
13	48.19.406V	Socket cap screw M4x6 stainless		2
14	48.48.001	Screw	Vita/Pica	1
15	52.10.005	Compression spring	Genio/Vita/Pica	1
16	67.48.5000	Dispenser angle	Vita V	1
17	72.29.501	Pressure roller cpl	Vita II/Pica II	1

*Recommended spare part

Modifications and errors excepted


Vita V: 10.2024

35 / 56

90.48.550E

DISPENSER UNIT WITH PHOTOCELL

VITA V, OPTION



90.48.550E


Dispenser unit with photocell

Vita V, option


Pos	Ident-No.	Description1	Description2	Quantity
1	48.04.208V	Screw M2x8 stainless		1
2	50.01.009V	Lock washer M2 stainless		1
3	71.48.501A	Dispenser photocell cpl	Pica II/Vita II/Vario III	1
4	90.48.500E	Dispenser unit without photocell	Vita V, option	1

*Recommended spare part

90.48.650E
CUTTER UNIT "GUILLOTINE"
VITA V, OPTION



CUTTER UNIT "GUILLOTINE"
VITA V, OPTION



90.48.650E

Cutter unit "Guillotine"

Vita V, option

Pos	Ident-No.	Description1	Description2	Quantity
1	10.48.624	Bearing flange	Vita II/Pica II	1
2	10.55.201	Spacer	Vario/Vita II/Spectra II 216	2
3	12.48.605	Bearing bolt	Vita/Pica	1
4	12.48.624	Spring pillar	Vita II/Pica II	1
5	12.88.655	Adjusting screw	Spectra 216/Vita II	1
6	16.48.605	Guiding	Vita/Pica	1
7	16.48.614	Slide part	Vita II/Pica II	1
8*	16.55.201	Sliding part	Vario/Spectra 216/Vita/Pica	1
9	28.48.020A	Connecting cable cutter plate/CPU	Vita II/Pica II	1
10	35.01.001	Mounting base self-adhesive 19x19 mm		3
11	35.01.002	Cable joint 100x2.5 mm		4
12	35.01.0021	CABLE JOINT		1
13	40.01.003V	Shaft protection 3.2 mm stainless		9
14	40.01.004V	Shaft protection 4 mm stainless		1
15	45.48.610	Whip bearing	Vita II/Pica II	1
16	45.48.614	Whip bearing	Vita II/Pica II	1
17	45.55.201	Strut	Vario/Vita/Pica	1
18	46.48.601	Bearing shaft	Vita/Pica	1
19	46.48.614	Bearing shaft	Vita II/Pica II	1
20	46.88.655	Whip shaft	Spectra 216/Vita II/Pica II	1
21	47.03.003V	Hexagon nut M3 stainless		2
22	47.04.001V	Hexagon nut M3 stainless		1
23	48.10.303	Setscrew M3x3		2
24	48.15.206V	Pan screw M2.5x6 stainless		3
25	48.15.408V	Pan screw M4x8 stainless		1
26*	48.16.009	Knurled screw M3x8		2

*Recommended spare part

90.48.650E

Cutter unit "Guillotine"

Vita V, option

Pos	Ident-No.	Description1	Description2	Quantity
27	48.16.306V	Socket cap screw M3x6 stainless		4
28	48.16.310V	Socket cap screw M3x10 stainless		2
29	48.19.306V	Socket cap screw M3x6 stainless		8
30	48.19.310V	Socket cap screw M3x10		3
31	48.24.306V	Pan screw M3x6 stainless		4
32	48.24.310V	Pan screw M3x10 stainless		3
33	48.31.306V	Pan screw with flange M3x6		4
34	48.48.6500	Socket cap screw processed	Spectra II	1
35	50.01.057V	Washer 3.2 stainless		2
36*	52.48.024	Spring	Vita II/Pica II	1
37*	57.02.090	Slide bearing		1
38*	57.03.012	Grooved ball bearing		1
39*	57.48.004	Slide bearing	Vita II/Pica II	1
40*	59.48.610	Driving gear	Vita II/Pica II	1
41	67.48.601	Cutter angle	Vita II/Pica II	1
42	67.48.614	Plate transverse	Vita II/Pica II	1
43	67.48.615	Motor cover	Vita II/Pica II	1
44	67.48.620	Front sheet	Vita	1
45	67.48.625	Bottom plate	Vita	1
46*	67.55.225	Cutter ledge fixed	Vario/Vita II/Pica II	1
47	67.55.245	Adjusting plate	Vario/Spectra 216/Vita II/Pica II	1
48	70.18.010	Circuit board cutter cpl	Micra/Vita II/Pica II/Vario III	1
49	71.48.650	Motor and photocell cpl	Pica II/Vita II	1
50*	72.48.605	Crank lever	Vita II/Pica II	1
51	72.48.624	Cutter sheet	Vita II/Pica II	1

*Recommended spare part

Modifications and errors excepted


Vita V: 10.2024

41 / 56

90.48.655E

CUTTER UNIT WITH ANTISTATIC BRUSH

VITA V, OPTION



90.48.655E


Cutter unit with antistatic brush

Vita V, option

Pos	Ident-No.	Description1	Description2	Quantity
1	10.40.065	Spacer	Vita/Vario III Touch	2
2	37.48.655	Antistatic brush	Vita II	1
3	48.19.316V	INBUS M3x16		2
4	90.48.650E	Cutter unit "Guillotine"	Vita V, option	1

*Recommended spare part

PRESSURE ROLLER, QUICK CHANGE
VITA V, OPTION NEW PRINTER, NO RETROFIT POSSIBLE



90.48.700E

Pressure roller, Quick Change

Vita V, option new printer, no retrofit possible

Pos	Ident-No.	Description1	Description2	Quantity
1	12.41.33402	Distance bolt M3x34		3
2	16.56.045	Supporting piece	Vario III/Spectra II/ILX 10X/SPE II	1
3*	18.48.1010	Pressure roller	Vita V, Quick Change	1
4	46.48.0200	Transmission shaft	Vita V	1
5	48.24.304V	Pan screw M3x4 stainless		2
6	48.26.306V	INBUS A2 STAINLESS M3x6		3
7	52.04.004	Cup spring		1
8*	57.01.002	Grooved ball bearing		1
9*	57.01.008	Grooved ball bearing		1
10	67.48.0300	Sole plate, below	Vita V	1
11	67.48.0330	Sole plate, pressure roller	Vita V	1

*Recommended spare part

Modifications and errors excepted

Vita V: 10.2024


45 / 56

90.48.786E

DISPENSING INPUTS/OUTPUTS

VITA V, OPTION

beigelegt
at t a c h e d
ajout és
adjunt ado



90.48.786E

Dispensing Inputs/Outputs

Vita V, option

Pos	Ident-No.	Description1	Description2	Quantity
1	25.04.016	Cover 15-pin		1
2	25.04.046	SUB-D 26-pin		1
3	25.04.100	SUB-D fixing set		1
4	28.83.052A	Connecting cable I/O-CPU	SPX II	1
5	41.02.001	FAN SHAPED WASHER M3		1
6	47.04.001V	Hexagon nut M3 stainless		1
7*	70.39.005	I/O plate cpl		1
8	72.48.501	PCB guiding assembled		1

*Recommended spare part

Modifications and errors excepted


Vita V: 10.2024

47 / 56

92.48.001

REWINDER PR 48 FOR LABELS

VITA II/PICA II



92.48.001

Rewinder PR 48 for labels

Vita II/Pica II

Pos	Ident-No.	Description1	Description2	Quantity
1	10.63.041	Striker arm	PR30/PR25/PR26/PR28/PR48/PR49	1
2	10.63.045	Bearing	PR30/25/26/28/48/49	1
3*	12.15.035	Clasp	Spectra/Vario/PR28/PR48/PR49	1
4	12.48.905	Centering pin	PR 48/PR 49	2
5*	16.01.015	Elastic bumper self-adhesive 20.6x20.6x13.2 mm		2
6	16.28.045	Rewinding roller	PR28/48/49	1
7	21.01.060	Motor with drive 24V	PR28/PR48/PR49	1
8	28.48.925	Winder connecting cable for PR48/PR 45 II		1
9	29.02.005	Condenser		1
10	35.01.002	Cable joint 100x2.5 mm		1
11	35.05.030	Cover black		1
12	45.03.010	Motor bracket	PR30/PR25/PR26/PR28/PR48/PR49	1
13	45.25.001	SPACER BLOCK		1
14	48.02.001	Screw M4x12		1
15	48.10.004	Setscrew M3x4		2
16	48.14.110V	Pan screw M2x10 stainless		3
17	48.15.406	Countersunk screw M4 x 6		2
18	48.16.004	Socket cap screw M4x25		1
19	48.16.430	Socket cap screw M4x30		2
20	50.01.065	Lock washer 4.3		2
21	50.01.096	Lock washer 4.3x20x1.25		1
22	50.01.940	Striker arm plate	PR30/PR25/PR26/PR28/PR48/PR49	2
23*	52.01.007	Compression spring	Spectra/SPE/Vario/PR25/26/28/45/48/49/ILX	1
24	67.48.905	Base plate for PR48	Vita/Pica II	1

*Recommended spare part

Modifications and errors excepted


Vita V: 10.2024

49 / 56

92.48.010

REWINDER PR 49 FOR LABEL CARRIER

VITA II/PICA II



92.48.010

Rewinder PR 49 for label carrier

Vita II/Pica II

Pos	Ident-No.	Description1	Description2	Quantity
1	10.63.041	Striker arm	PR30/PR25/PR26/PR28/PR48/PR49	1
2	10.63.045	Bearing	PR30/25/26/28/48/49	1
3*	12.15.035	Clasp	Spectra/Vario/PR28/PR48/PR49	1
4	12.48.905	Centering pin	PR 48/PR 49	2
5*	16.01.015	Elastic bumper self-adhesive 20.6x20.6x13.2 mm		2
6	16.28.045	Rewinding roller	PR28/48/49	1
7	21.01.060	Motor with drive 24V	PR28/PR48/PR49	1
8	28.48.930	Winder connecting cable for PR49	Vita/Pica	1
9	29.02.005	Condenser		1
10	35.01.002	Cable joint 100x2.5 mm		1
11	35.05.030	Cover black		1
12	45.03.010	Motor bracket	PR30/PR25/PR26/PR28/PR48/PR49	1
13	45.25.001	SPACER BLOCK		1
14	46.15.040	Return pulley	Desco/PR28/PR49/Pica	1
15	48.02.001	Screw M4x12		1
16	48.10.004	Setscrew M3x4		2
17	48.14.110V	Pan screw M2x10 stainless		3
18	48.15.406	Countersunk screw M4 x 6		2
19	48.16.004	Socket cap screw M4x25		1
20	48.16.410	Socket cap screw M4x10		1
21	48.16.430	Socket cap screw M4x30		1
22	50.01.065	Lock washer 4.3		3
23	50.01.096	Lock washer 4.3x20x1.25		1
24	50.01.940	Striker arm plate	PR30/PR25/PR26/PR28/PR48/PR49	2
25*	52.01.007	Compression spring	Spectra/SPE/Vario/PR25/26/28/45/48/49/ILX	1
26	67.48.915	Base plate for PR49	Vita/Pica II	1

*Recommended spare part


Modifications and errors excepted

Vita V: 10.2024

51 / 56

REWINDER PR 45 II

DIAMETER = 270 MM, MAX PRINT SPEED UP TO 300 MM/S



92.66.014

Rewinder PR 45 II

diameter = 270 mm, max print speed up to 300 mm/s

Pos	Ident-No.	Description1	Description2	Quantity
1	10.92.010	Intermediate ring	PR45 II	1
2	10.92.030	Adjusting ring	PR 45	1
3	12.92.010	Clamp	PR45	1
4*	16.01.011	Elastic bumper self-adhesive 20.6x20.6x7.6 mm		4
5	16.92.005	Rewinding roll	PR45	1
6	16.92.007	Bogie wheel	PR45	1
7	16.92.009	Bearing	PR45	1
8	25.05.001	CONNECTOR		0,3
9	25.09.002	Ferrule 0.25		2
10	26.01.048	Switch 2pin		1
11	28.48.925	Winder connecting cable for PR48/PR 45 II		1
12	28.92.003	Cable cpl	PR 45	2
13	28.92.015	Adapter cable		1
14	29.02.005	Condenser		1
15	30.08.010	Resistance 22 OHM 10%		1
16	35.01.002	Cable joint 100x2.5 mm		1
17	40.01.004	Shaft protection 4 mm		1
18	41.01.007	Rosette 4x9 mm		2
19	41.03.006	Lock washer M6		1
20	42.03.002	Grooved taper pin 2x6		1
21	46.92.005	Return pulley	PR45	1
22	48.10.005	Setscrew M4x4		3
23	48.15.002	Pan screw M4x10		3
24	48.15.003	Countersunk screw M3x6		2
25	48.15.308	Countersunk screw M3x8		2
26	48.15.312	Countersunk screw M3x12		2

*Recommended spare part

92.66.014

Rewinder PR 45 II


diameter = 270 mm, max print speed up to 300 mm/s

Pos	Ident-No.	Description1	Description2	Quantity
27	48.16.312	Socket cap screw M3x12		5
28	48.16.410	Socket cap screw M4x10		2
29	48.16.412	Socket cap screw M4x12		1
30	48.20.612	Socket cap screw M6x12		1
31	50.01.057	Lock washer 3.2		4
32	50.01.065	Lock washer 4.3		2
33	50.01.096	Lock washer 4.3x20x1.25		1
34	50.15.005	Brake washer	Spectra/Vario/Vita/ILX/Duoprint, only replacement	2
35*	52.01.007	Compression spring	Spectra/SPE/Vario/PR25/26/28/45/48/49/ILX	1
36*	57.01.006	Grooved ball bearing		2
37	59.02.045	Toothed belt wheel	PR45 II	1
38	59.02.459	COGGED BELT DRIVE		1
39	66.92.002	BOTTOM PLATE		1
40	66.92.006	Cover, base part		1
41	66.92.016	Cover		1
42	71.92.003	Motor cpl	PR45 II	1
43	72.92.016	Support cpl	PR45 II	1
44	72.92.018	Bearing shaft cpl	PR45 II	1
45	72.92.020	Brake ring cpl	PR45	1
46	72.92.027	Roller disc cpl 270/40 mm	PR45	2

*Recommended spare part

92.66.050A

UNWINDER PA 50A, FOR LABEL CORE 40 MM
COMPA/VARIO/VITA/SPECTRA



92.66.050A

Unwinder PA 50A, for label core 40 mm
Compa/Vario/Vita/Spectra

Pos	Ident-No.	Description1	Description2	Quantity
1*	16.01.011	Elastic bumper self-adhesive 20.6x20.6x7.6 mm		4
2	46.92.010	Return pulley	PA50A	1
3	48.15.412	Pan screw M4x12		2
4	66.92.103	Unwinding unit	Compa/Vario/Spectra	1
5	72.92.075	Roller bearing shaft cpl 40 mm	PA50/PA60	1

*Recommended spare part