

# CITIZEN

## The new dimension in desktop label printing

More capacity for your business



### Proven technology

The Citizen CL-S6621 combines the advantages of the well-proven metal Hi-Lift™ mechanism for easy ribbon and media loading with the benefits of an industrial twin-wall ABS housing.

### Compact design

The compact design of the Citizen CL-S6621 makes it the smallest 6 inch printer in the market and the ideal choice for all environments where space is premium.

### Easy operation and media change

Media and ribbons can easily be changed thanks to the Hi-Open™ housing.

## CL-S6621XL

Label, Wide Format (6-inch)

### Applications

- Courier
- Logistic / Transport
- Manufacturing
- Warehousing

The new dimension in 6 inch printing

TOMORROW'S PRINTING TODAY

Citizen Systems Europe GmbH, Waterfront, Lotus Park, Staines-Upon-Thames, TW18 3AG, United Kingdom, +44 20 8893 1900

CITIZEN SYSTEMS EUROPE GMBH



The CL-S6621 features an internal mains power supply which reduces the footprint and avoids cabling issues. At the same time it adds weight and stability to the printer.

## Specifications

| Model                        | CL-S6621XL   |
|------------------------------|--|
| Printing Technology          | Thermal Transfer + Direct Thermal  |
| Resolution                   | 203 dpi  |
| Print Speed (maximum)        | 6 inches per second (150 mm/s)   |
| Print Width (maximum)        | 6 inches (168 mm)  |
| Media Width (min to max)     | 2 to 7 inches (50 to 178 mm)   |
| Roll Size (max), Core Size   | Outside diameter 8 inches (200mm) Core size 1 to 3 inches (25 to 75 mm)  |
| Media Thickness (min to max) | 63.5 to 254 µm   |
| Media Length (min to max)    | 0.25 to 32 inches (6.35 to 812.8 mm)   |
| Media Sensor                 | Fully adjustable gap, notch, reflective black mark and media low   |
| Main Interface               | Dual Interface Serial (RS-232C), USB (version 2.0, full speed)   |
| Optional interfaces          | Wireless LAN 802.11b and 802.11g standards, 100 metres, 64/128 bit WEP, WPA, up to 54Mbps, Ethernet (10/100 BaseT), Parallel (IEEE 1284 compliant)   |
| Ribbon size                  | 2.9 inches (74mm) maximum outside diameter. 360 metres length. 1 inch (25mm) core  |
| Ribbon winding & type        | Ink side in or out, switch selectable. Wax, Wax/Resin or Resin Type  |
| Ribbon system                | ARCP™ automatic ribbon tension adjustment  |
| Mechanism                    | Hi-Lift™ metal mechanism with wide opening head  |
| Control panel                | 4 buttons and 4 LEDs   |
| Emulations (Languages)       | Full Datamax® W-Class®, DMX800®, Cross-Emulation™ - autoswitch between Zebra® and Datamax® emulations, Zebra® ZPL2®, BASIC interpreter for data stream processing and ticketing emulations |
| Drivers and software         | Free-of-charge on CD with printer, including support for various platforms   |
| Flash (Non-Volatile Memory)  | 8 MB total, 1 MB available for user  |

## CL-S6621XL

### Label, Wide Format (6-inch)

## Features & Benefits

- Paper load: Durable design - Citizen's proven Hi-Lift™ all-metal mechanism
- Printing Speed: Fast print out - 6 inches per second (150 mm per second)
- Ribbon options: Wide range of ribbon options - Uses up to 360 metres inside and outside wound ribbons
- Hi-Open™ case for vertical opening, no increase in footprint and safe closing.
- No more unreadable labels - the ARCP™ ribbon control technology assures clear prints.
- Low space requirement - integrated power supply enables clean work station
- Recyclable packaging
- Basic peeler



All-metal mechanisms for strength and durability

# CITIZEN

CL-S6621XL

Label, Wide Format (6-inch)

|                                    |  |
|------------------------------------|--|
| <b>Model</b>                       | CL-S6621XL                                       |
| <b>Size (W x D x H) and Weight</b> | 530 x 290 x 273 mm, 8.9 Kg                       |
| <b>Cutter</b>                      | Guillotine type, Dealer Installable              |
| <b>Warranty</b>                    | 2 years on printer. 6 months or 50 Kms printhead |

All product names are trademarks of the respective manufacturers. Zebra®, ZPL and EPL are trademarks of ZIH Corp. Datamax® is a trademark of Datamax-O'Neil Corporation. Designs, specifications and availability are subject to change without notice. Errors and omissions excluded. © Citizen Systems Europe GmbH, V.1.0