Zebra accessory guide

HC201 / HC501

The essential healthcare tool for every caregiver



Revised November 2026

Table of Contents

Accessories that power devices

Cradles

Single-slot ShareCradles 4
Multi-slot ShareCradles Kits 5
Multi-slot ShareCradles 6
Legacy ShareCradle Cups 7
ShareCradle Components 8
Mounting Options for Chargers 9

Batteries

Spare Li-ion Batteries 11
Spare Battery Chargers 12

Power Supplies, Cables, and Adapters

Power Supply and Cable Matrix 14
Country-Specific AC Line Cords 15

Accessories that protect devices

Soft Goods

Carrying Clip, Healthcare Hand Strap, and Healthcare USB-C Plug 17

Workstation Connect Cradle

Workstation Connect Cradle 19

Cradles

Single-slot ShareCradles

Multi-slot ShareCradles Kits

Multi-slot ShareCradles

Legacy ShareCradle Cups

ShareCradle Components

Mounting Options for Chargers

Cradles

Single-slot ShareCradles

Cradles

Batteries

Power Supplies, Cables and Adapters

Soft Goods

Trigger handle

Wearable Mounts

Headsets

Workstation Connect Cradle

Third Party Accessories

Back to Table of Contents

Item/SKU#	Description
One-Device ShareCradle SKU# **CRD-HC2A5A-1 D** 	**HC201 / HC501 Charge-Only ShareCradle for a Single Device.** ▪ Device with standard battery charges from 0–90% in about 1 hour and 20 mins. ▪ Connects to charge contacts on the bottom of the device. ▪ Sold separately: USB-C Cable SKU# CBL-EC5X-USBC3A-01, and Country-Specific Power Adapter SKU# PWR-WUA5V45W1XX (Replace 'XX' in SKU to get the right plug style based on region) (listed later in this document).
One-Device ShareCradle SKU# **CRD-HC2A5A-1 D1 B** 	**HC201 / HC501 Charge-Only ShareCradle for a Single Device and a Spare Battery.** ▪ Device with standard battery charges from 0–90% in about 1 hour and 20 mins. ▪ Connects to charge contacts on the bottom of the device. ▪ Sold separately: USB-C Cable SKU# CBL-EC5X-USBC3A-01, and Country-Specific Power Adapter SKU# PWR-WUA5V45W1XX (Replace 'XX' in SKU to get the right plug style based on region) (listed later in this document).
Two-Device ShareCradle SKU# **CRD-HC2A5A-2D** 	**HC201 / HC501 Charge-Only ShareCradle for Two Devices.** ▪ Device with standard battery charges from 0–90% in about 1½ hours. ▪ Connects to charge contacts on the bottom of the device. ▪ Sold separately: USB-C Cable SKU# CBL-EC5X-USBC3A-01, and Country-Specific Power Adapter SKU# PWR-WUA5V45W1XX (Replace 'XX' in SKU to get the right plug style based on region) (listed later in this document).

Cradles

Multi-Slot ShareCradles Kits

Cradles

Batteries

Power Supplies, Cables and Adapters

Soft Goods

Trigger handle

Wearable Mounts

Headsets

Workstation Connect Cradle

Third Party Accessories

Back to Table of Contents

Item/SKU#	Description
Five-Device ShareCradle Kit Devices WITH a rugged boot: SKU# **CRD-HC2A5A-5D-1** 	**HC201 / HC501 Charge-Only ShareCradle for Five Devices.** ▪ Device with standard battery charges from 0–90% in about 1½ hours. ▪ Connects to charge contacts on the bottom of the device. ▪ Includes: Power Supply with Attached DC Cable SKU# PWR-BGA12V150W1WW. ▪ Can be mounted on a standard 19-inch rack system using mounting bracket SKU# BRKT-SCRD-SMRK-01. ▪ The base used in this configuration is Standard-Charge Base SKU# CRD-SCBASE-01. ▪ Sold Separately: Country-Specific AC Line Cord (listed later in this document).
Five-Device & Five-Battery ShareCradle Kit SKU# **CRD-HC2A5A-5D5B-1** 	**HC201 / HC501 Charge-Only ShareCradle for Five Devices and Five Spare Batteries.** ▪ Device with standard battery charges from 0–90% in about 1½ hours. ▪ Connects to charge contacts on the bottom of the device. ▪ Includes: Power Supply with Attached DC Cable SKU# PWR-BGA12V150W1WW. ▪ Can be mounted on a standard 19-inch rack system using mounting bracket SKU# BRKT-SCRD-SMRK-01. ▪ The base used in this configuration is Standard-Charge Base SKU# CRD-SCBASE-01. ▪ Sold Separately: Country-Specific AC Line Cord (listed later in this document).
1 0-Device ShareCradle Kit SKU# **CRD-HC2A5A-1 0D-1** 	**HC201 / HC501 Charge-Only ShareCradle for 1 0 Devices.** ▪ Device with standard battery charges from 0–90% in about 1½ hours. ▪ Connects to charge contacts on the bottom of the device. ▪ Includes: Power Supply with Attached DC Cable SKU# PWR-BGA12V150W1WW. ▪ Can be mounted on a standard 19-inch rack system using mounting bracket SKU# BRKT-SCRD-SMRK-01. ▪ The base used in this configuration is Standard-Charge Base SKU# CRD-SCBASE-01. ▪ Sold Separately: Country-Specific AC Line Cord (listed later in this document).

Cradles

Multi-Slot ShareCradles

Cradles

Batteries

Power Supplies, Cables and Adapters

Soft Goods

Trigger handle

Wearable Mounts

Headsets

Workstation Connect Cradle

Third Party Accessories

Back to Table of Contents

Item/SKU#	Description
Five-Device ShareCradle Devices WITH a rugged boot: SKU# **CRD-HC2A5A-5D** 	**HC201 / HC501 Charge-Only ShareCradle for Five Devices.** ▪ Device with standard battery charges from 0–90% in about 1½ hours. ▪ Connects to charge contacts on the bottom of the device. ▪ Can be mounted on a standard 19-inch rack system using mounting bracket SKU# BRKT-SCRD-SMRK-01. ▪ The base used in this configuration is Standard-Charge Base SKU# CRD-SCBASE-01. ▪ Sold Separately: Power Supply with Attached DC Cable SKU# PWR-BGA12V150W1WW, Country-Specific AC Line Cord (listed later in this document).
Five-Device & Five-Battery ShareCradle SKU# **CRD-HC2A5A-5D5B** 	**HC201 / HC501 Charge-Only ShareCradle for Five Devices and Five Spare Batteries.** ▪ Device with standard battery charges from 0–90% in about 1½ hours. ▪ Connects to charge contacts on the bottom of the device. ▪ Can be mounted on a standard 19-inch rack system using mounting bracket SKU# BRKT-SCRD-SMRK-01. ▪ The base used in this configuration is Standard-Charge Base SKU# CRD-SCBASE-01. ▪ Sold Separately: Power Supply with Attached DC Cable SKU# PWR-BGA12V150W1WW, Country-Specific AC Line Cord (listed later in this document).
1 0-Device ShareCradle SKU# **CRD-HC2A5A-1 0D** 	**HC201 / HC501 Charge-Only ShareCradle for 1 0 Devices.** ▪ Device with standard battery charges from 0–90% in about 1½ hours. ▪ Connects to charge contacts on the bottom of the device. ▪ Can be mounted on a standard 19-inch rack system using mounting bracket SKU# BRKT-SCRD-SMRK-01. ▪ The base used in this configuration is Standard-Charge Base SKU# CRD-SCBASE-01. ▪ Sold Separately: Power Supply with Attached DC Cable SKU# PWR-BGA12V150W1WW, Country-Specific AC Line Cord (listed later in this document).

Cradles

Legacy ShareCradle Cups

Cradles

Batteries

Power Supplies, Cables and Adapters

Soft Goods

Trigger handle

Wearable Mounts

Headsets

Workstation Connect Cradle

Third Party Accessories

Back to Table of Contents

Item/SKU#	Description
One-Device Replacement ShareCradle Cup SKU# **CRDCUP-HC2L5L-01** 	**HC201 / HC501 Replacement Charge-Only Device Cup for One Device** • Enables the use of HC201 / HC501 devices with Legacy ShareCradles by replacing existing HC2x series device cup.
Five-Device Replacement ShareCradle Cup SKU# **CRDCUP-HC2L5L-05** 	**HC201 / HC501 Replacement Charge-Only Device Cup for Five Devices** • A set of five Charge-Only ShareCradle Cups. • Enables the use of HC201 / HC501 devices with Legacy ShareCradles by replacing existing HC2x series device cup.

Cradles

ShareCradle Components

[Cradles](#)

[Batteries](#)

[Power Supplies, Cables and Adapters](#)

[Soft Goods](#)

[Trigger handle](#)

[Wearable Mounts](#)

[Headsets](#)

[Workstation Connect Cradle](#)

[Third Party Accessories](#)

[Back to Table of Contents](#)

Item/SKU#	Description
HC201 / HC501 Holder SKU# **HLD-HC2A5A-01** 	**HC201 / HC501 Holder for Devices WITH a rugged boot,** • Included in all ShareCradles designed for devices with a rugged boot.
Standard-Charging ShareCradle Base SKU# **CRD-SCBASE-01** 	**Standard-Charging ShareCradle Base** • Included in all Healthcare multi-slot ShareCradles configurations.

Cradles

Mounting Options for Chargers

Cradles

Batteries

Power Supplies, Cables and Adapters

Soft Goods

Trigger handle

Wearable Mounts

Headsets

Workstation Connect Cradle

Third Party Accessories

Back to Table of Contents

Item/SKU#	Description
Mounting Bracket SKU# **BRKT-SCRD-SMRK-01** 	**Use five-slot ShareCradle mounting bracket to attach five- slot HC201 / HC501 cradles to the wall or mount on a 1 9-inch server rack.** ▪ Offers cable routing slots and removable tray that stores / conceals power supply. ▪ Adjustable orientations: 25º angle for high-density (multi-slot chargers). Horizontal (single-slot or four-slot spare Li-ion charger). ▪ Four 4-slot spare battery chargers can be mounted as shown with mounting bracket. ▪ Compatible with all multi-slot ShareCradles for HC201 / HC501. ▪ Use to mount to wall or with standard 19-inch server rack for more density and save space.

Batteries

Spare Li-ion Batteries

Spare Battery Chargers

Batteries

Spare Li-ion Batteries

Cradles

Batteries

Power Supplies, Cables and Adapters

Soft Goods

Trigger handle

Wearable Mounts

Headsets

Workstation Connect Cradle

Third Party Accessories

Back to Table of Contents

Item/SKU#	Description
Standard Capacity Battery SKU# **BTRY-HC2L5L-2XMAXB** 	**3,800 mAh Bluetooth BLE PowerPrecision Li-ion Battery** ▪ PowerPrecision Li-on battery with BLE beacon (Blue) ▪ Premium-grade battery cells with longer lifecycle and tested to meet rigorous controls and standards. ▪ BLE beacon allows device with this battery to be located even if powered off using Zebra Device Tracker. ▪ Sold separately: Zebra Device Tracker licenses for either 1-year SKU# SW-BLE-DT-SP-1YR or 3-years SKU# SW-BLE-DT-SP-3YR.

Batteries

Spare Battery Charger

Cradles

Batteries

Power Supplies, Cables and Adapters

Soft Goods

Trigger handle

Wearable Mounts

Headsets

Workstation Connect Cradle

Third Party Accessories

Back to Table of Contents

Item/SKU#	Description
4-Spare Battery Charger SKU# **SAC-HC2A5A-4B** 	**Spare Battery Charger to Charge any Four HC201 / HC501 Li-ion batteries.** ▪ Standard battery charges from 0–90% in less than 3 hours. ▪ Can be used standalone or up to 4 chargers can be mounted on Mounting Bracket SKU# BRKT-SCRD-SMRK-01. ▪ Sold separately: USB-C Cable SKU# CBL-EC5X-USBC3A-01, and Country-Specific Power Adapter SKU# PWR-WUA5V45W1XX (Replace 'XX' in SKU to get the right plug style based on region) (listed later in this document).
20-Spare Battery Charger SKU# **SAC-HC2A5A-20B-1** 	**Spare Battery Charger to Charge any 20 HC201 / HC501 Li-ion batteries.** ▪ Standard battery charges from 0–90% in less than 3½ hours. ▪ Can be mounted on Mounting Bracket SKU# BRKT-SCRD-SMRK-01. ▪ Includes: Power Supply with Attached DC Cable SKU# PWR-BGA12V150W1WW. ▪ The base used in this configuration is Standard-Charge Base SKU# CRD-SCBASE-01 (only supported base for this configuration). ▪ Sold Separately: Country-Specific AC Line Cord (listed later in this document).
20-Spare Battery Charger SKU# **SAC-HC2A5A-20B** 	**Spare Battery Charger to Charge any 20 HC201 / HC501 Li-ion batteries.** ▪ Standard battery charges from 0–90% in less than 3½ hours. ▪ Can be mounted on Mounting Bracket SKU# BRKT-SCRD-SMRK-01. ▪ The base used in this configuration is Standard-Charge Base SKU# CRD-SCBASE-01 (only supported base for this configuration). ▪ Sold Separately: Power Supply with Attached DC Cable SKU# PWR-BGA12V150W1WW, Country-Specific AC Line Cord (listed later in this document).

Power Supply, Cables, and Adapters

Power Supply and Cable Matrix

Country-Specific AC Line Cords

Power Supply, Cables and Adapters

Power Supply and Cable Matrix

[Cradles](#)

[Batteries](#)

[Power Supplies, Cables and Adapters](#)

[Soft Goods](#)

[Trigger handle](#)

[Wearable Mounts](#)

[Headsets](#)

[Workstation Connect Cradle](#)

[Third Party Accessories](#)

[Back to Table of Contents](#)

SKU#	Description	Notes
PWR-BGA12V150W1WW 	Level VI AC/DC power supply brick. AC Input: 100–240V, 2.5A. DC Output: 12V, 12.5A, 150W.	Sold Separately. To be used with Country-Specific AC Line Cords.
CBL-EC5X-USBC3A-01 	USB-C to USB-C Communications and Charging Cable, 1M Long, Support 3.0 support speed and fast charge.	Sold separately. Used with PWR-WUA5V45W1XX (Replace 'XX' in SKU to get the right plug style based on region)
PWR-WUA5V45W1US 	USB type C power supply adapter with United States plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to charge device.
PWR-WUA5V45W1EU 	USB type C power supply adapter with European Union plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to charge device.
PWR-WUA5V45W1GB 	USB type C power supply adapter with United Kingdom plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to charge device.
PWR-WUA5V45W1AU 	USB type C power supply adapter with Australia plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to charge device.
PWR-WUA5V45W1CN 	USB type C power supply adapter with China plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to charge device.
PWR-WUA5V45W1KR 	USB type C power supply adapter with Korea plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to charge device.
PWR-WUA5V45W1AR 	USB type C power supply adapter with Argentina plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to charge device.
PWR-WUA5V45W1BR 	USB type C power supply adapter with Brazil plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to charge device.
PWR-WUA5V12W1IN 	USB type C power supply adapter with India plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C to USB-A Cable (CBL-TC5X-USBC2A-01) to charge device.

Power supply, cables and adapters

Country-specific AC line cords, Grounded 3-Prong

Cradles

Batteries

Power Supplies, Cables and Adapters

Soft Goods

Trigger handle

Wearable Mounts

Headsets

Workstation Connect Cradle

Third Party Accessories

Back to Table of Contents

SKU#	Description	
23844-00-00R		**North America (United States, Canada, Mexico)** Commonly used with chargers mounted in server racks; 7.5 feet long
50-16000-678R		**North America (United States, Canada, Mexico)** 0.9 meters (3 feet long)
50-16000-221R		**North America (United States, Canada, Mexico)** 1.8 meters (6 feet long)
50-16000-727R		**Brazil** 1.8 meters (6 feet) long
50-16000-680R		**Argentina** 1.8 meters (6 feet) long
50-16000-217R		**American Samoa, Australia, New Guinea** 1.8 meters (6 feet) long
50-16000-218R		**Japan** 1.8 meters (6 feet) long
50-16000-219R		**Antigua, Bermuda, Burma, Channel Islands, Hong Kong, Iraq, Ireland, Malaysia, North Ireland, Scotland, Singapore, United Kingdom, Wales** 1.8 meters (6 feet) long
50-16000-257R		**China** 1.8 meters (6 feet) long
50-16000-220R		**Europe, Abu Dhabi, Bolivia, Dubai, Egypt, Iran, Korea, Russia, Vietnam** 1.8 meters (6 feet) long
50-16000-671R		**Italy** 1.8 meters (6 feet) long
50-16000-669R		India, South Africa, Africa 1.8 meters (6 feet) long

Soft Goods

Carrying Clip, Healthcare Hand Strap, and Healthcare USB-C Plug

Soft Goods

Carrying Clip, Healthcare Hand Strap, Healthcare USB-C plug

Cradles

Batteries

Power Supplies, Cables and Adapters

Soft Goods

Trigger handle


Wearable Mounts

Headsets

Workstation Connect Cradle

Third Party Accessories

Back to Table of Contents

Item/SKU#	Description
Carrying Clip SKU# **SG-HC2A5A-CLIP-01** 	**HC201 / HC501 Carrying Clip** ▪ Used with HC2X / HC5X devices to allow user to conveniently attach the device to healthcare clothing. ▪ Clip attaches to the top of HC2X / HC5X. Has Healthcare blue disinfectant ready housing. ▪ Not compatible with hand strap SKU# SG-HC2L5L-HSTRP-01. ▪ Improved belt clip with secure non-rotatable design, a rubberized grip for enhanced device retention, a lower profile height, and a wider clearance to allow easier access to the emergency duress button. ▪ * Please note this accessory is a consumable and may require replacement during the device's lifespan.
Healthcare Hand Strap SKU# **SG-HC2L5L-HSTRP-01** 	**Healthcare Hand Strap** ▪ Used with HC2X / HC5X devices to allow user to conveniently attach the device to healthcare clothing. ▪ Clip attaches to the top of HC2X / HC5X. Has Healthcare blue disinfectant ready housing. ▪ Not compatible with carrying clip SKU# SG-HC2A5A-CLIP-01 * Please note this accessory is a consumable and may require replacement during the device's lifespan.
Healthcare USB-C Plug SKU# **SG-HC2L5L-USBCADP5** 	**Healthcare USB-C Plug** ▪ Replacement USB-C plug that covers the bottom of HC2X / HC5X devices. ▪ Comes in a pack of 5. One plug should be included with each device. * Please note this accessory is a consumable and may require replacement during the device's lifespan.

Workstation Connect Cradle

Introducing the new Connect Cradle (Workstation) for HC201 / HC501 mobile computers. This accessory allow for the HC201 / HC501 mobile computer to connect to multiple purpose-built peripherals and enable Zebra Workstation Connect on an external monitor. The Connect Cradle offers connections for standard workstation setups (monitor, keyboard, mouse).

Workstation Connect Cradle

HC201 / HC501 Workstation Connect Cradle

Cradles

Batteries

Power Supplies, Cables and Adapters

Soft Goods

Trigger handle

Wearable Mounts

Headsets

Workstation Connect Cradle

Third Party Accessories

Back to Table of Contents

Item/SKU#	Description
Workstation Cradle SKU# **CRD-TC2L-1 SNWS-01** 	**HC201 / HC501 Connect Cradle** ▪ This connect cradle, allows users to use HC201 / HC501 device as a workstation or kiosk. Includes HDMI, Ethernet, USB-A (x4) ports, shims, and 3.5mm headset jack. Power supply, DC line cord and AC line cord are all sold separately. ▪ Sold Separately: Power Supply (PWR-BGA12V50W0WW), DC Cable (CBL-DC-388A2-01), and Country-Specific AC Line Cord (listed in this document).
Power Supply SKU# **PWR-BGA1 2V50W0WW** 	**Power Supply for Workstation Connect Cradle** • 100-240 VAC, 12VDC, 4.16A.
DC Cable SKU# **CBL-DC-388A2-01** 	**DC Cable for Workstation Connect Cradle** • 12 VDC, 4.16A 1.8m length.